

## **Rejected Articles**

### **Rejected Articles - Falls Evidence Report**

Biomechanics: human locomotion and gait training. Rehabil Rd Prog Rep 1995 32:36-50. [Rec#: 1351]

Close the loop: create fall-reporting process: retrospective look may lead to improvement. Home Care Qual Manage 1998 4:(3)43-4, 52. [Rec#: 1432]

Falls aren't funny: prevent accidents before they happen. Univ Tex Lifetime Health Lett 1998 10:(9)6. [Rec#: 1376]

Healthy aging. Do whatever you can to avoid falls. Health News 1999 17:(2)8. [Rec#: 1363]

Innovative treatment of osteoporosis. Ann Long Term Care 1999 Jun:Meet Rep: 1-8. [Rec#: 1366]

Patient information. Decreasing your risk of falls. Am Fam Phys 1997 56:(7)1823. [Rec#: 1478]

Predictor tool may stop falls before they happen: risk assessment at intake is key to program. Home Care Qual Manage 1998 4:(3)40-3, 52. [Rec#: 1433]

Preventing falls and further injury in older people. Nursing Standard 1996 10:(47)32-33. [Rec#: 3669]

Preventing falls in elderly. Physiother Frontline 1997 3:(23)18. [Rec#: 1350]

Product focus. Fall prevention: new products . Nurs Homes 1999 48:(3)58, 60. [Rec#: 1401]

Risk of falls and injury in Alzheimer's disease. Focus Geriatr Care Rehabil 1998 12:(1)1, 3-12. [Rec#: 1503]

Staying healthy: vigilance pays off in preventing falls. Harv Health Lett 1999 24:(6)6-7. [Rec#: 1364]

Aaron J, Gallagher J, Stasiak L, Anderson J, Longton E, Nordin B, et al. Frequency of osteomalacia in fractures of the proximal femur. Lancet 1974 1:229-233. [Rec#: 2788]

Abbruzzese LD. Hospital extra. The Tinetti Performance-Oriented Mobility Assessment Tool. Am J Nurs 1998 98:(12)16J-L. [Rec#: 1446]

Abreu N, Hutchins J, Matson J, Polizzi N, Seymour CJ. Effect of group versus home visit safety education and prevention strategies for falling in community-dwelling elderly persons. Home Health Care Manage Pract 1998 10:(4)57-65. [Rec#: 1501]

Aguilar JJ, Santos FJ, Usabiaga T, Renau E, San Segundo R, Galvez S. Physical exercise and prevention of osteoporosis. Review [Spanish]. Rehabilitacion 1999 33:(3)195-9. [Rec#: 1278]

Agurs Collins T, Watson EL. Weight, nutrition, lifestyle factors and risk for osteoporosis. J Nutr Elderly 1998 18:(1)15-26. [Rec#: 1387]

Aisen ML, Iverson D, Schwalbe C, Weaver B, Aisen PS. Falls on a neurorehabilitation unit: Reassessment of a prevention program. J Am Paraplegia Soc 1994 17:(4)179-82. [Rec#: 506]

Aisen PS, Deluca T, Lawlor BA. Falls among geropsychiatry inpatients associated with PRN medications for agitation. Int J Geriatr Psychiatry 1992 7:709-712. [Rec#: 2782]

Alexander NB, Ulbrich J, Raheja A, Channer D . Geriatrics. Rising from the floor in older adults. Rehabil Rd Prog Rep 1998 35:107-8. [Rec#: 1421]

Allander E, Gullberg B, Johnell O, Kanis JA, Ranstam J, Elffors L. Falls and hip fracture. A reasonable basis for possibilities for prevention? Some preliminary data from the MEDOS study Mediterranean Osteoporosis Study. Scand J Rheumatol Suppl 1996 103:49-52; discussion 53. [Rec#: 507]

## Rejected Articles

- Allegrante. Self-efficacy and strength training to improve postoperative rehabilitation of hip fracture patients. Clinical Trials . [Rec#: 3635]
- Allen A, Simpson JM. A primary care based fall prevention programme. Physiother Theory Pract 1999 15:(2)121-133. [Rec#: 1577]
- Allen CM, Becker PM, McVey LJ, Saltz C, Feussner JR, Cohen HJ. A randomized, controlled clinical trial of a geriatric consultation team. Compliance with recommendations. JAMA 1986 255:(19)2617-21. [Rec#: 508]
- Altman DG. Study to predict which elderly patients will fall shows difficulties in deriving and validating a model. BMJ 1997 315:(7118)1309. [Rec#: 610]
- American Medical Directors Association. Falls and Fall Risk. Clinical Practice Guideline 1998. AMA; 1998. [Rec#: 704]
- Aminzadeh F, Edwards N. Exploring seniors' views on the use of assistive devices in fall prevention. Public Health Nurs 1998 15:(4)297-304. [Rec#: 1332]
- Aminzadeh F, Plotnikoff R, Edwards N. Development and evaluation of the Cane Cognitive Mediator Instrument. Nurs Res 1999 48:(5)269-75. [Rec#: 1359]
- Anacker SL, Di Fabio RP. Influence of sensory inputs on balance and mobility in elderly human subjects. Phys Ther 1992 72:(6)536. [Rec#: 2497]
- Anaker SL, DiFabio RP. Influence of sensory inputs on standing balance in community-dwelling elders with a recent history of falling. Phys Ther 1992 72:575-584. [Rec#: 1990]
- Andersen PK, Gill RD. Cox's regression model for counting processes: A large sample study. Ann Statistics 1982 10:1100-1120. [Rec#: 2733]
- Anderson I, Campbell A, Dunn A, Runciman J. Osteomalacia in elderly women. Scottish Med J 1966 11:429-35. [Rec#: 2790]
- Applegate WB. Managing the older patient with hypertension. Am J Health 1993 6:277-282S. [Rec#: 2786]
- Arbesman MC. A case control study of mechanical restraint use, rehabilitation therapies and staffing adequacy as risk factors for falls in an elderly hospitalized population. State University of New York at Buffalo. 1995. [Rec #: 1313]
- Arbesman MC, Wright C. Mechanical restraints, rehabilitation therapies, and staffing adequacy as risk factors for falls in an elderly hospitalized population. Rehabil Nurs 1999 24:(3)122-8, 135. [Rec#: 1296]
- Arden NK, Nevitt MC, Lane NE, Gore LR, Hochberg MC, Scott JC, et al. Osteoarthritis and risk of falls, rates of bone loss, and osteoporotic fractures. Study of Osteoporotic Fractures Research Group. Arthritis Rheum 1999 42:(7)1378-85. [Rec#: 1594]
- Arfken CL, Lach HW, Birge SJ, et al. The prevalence and correlates of fear of falling in elderly persons living in the community. Am J Public Health 1994 84:565-570. [Rec#: 1991]
- Arfken CL, Lach HW, McGee S, Birge SJ, Miller JP. Visual acuity, visual disabilities and falling in the elderly. J Aging Health 1994 6:38-50. [Rec#: 1992]
- Aronow WS, Ahn C. Association of postprandial hypotension with incidence of falls, syncope, coronary events, stroke, and total mortality at 29-month follow-up in 499 older nursing home residents. J Am Geriatr Soc 1997 45:(9)1051-3. [Rec#: 1493]
- Ash KL, MacLeod P, Clark L. A case control study of falls in the hospital setting. J Gerontol Nurs 1998 24:(12)7-15. [Rec#: 1442]

## Rejected Articles

- Ashley MJ, Gryfe CI, Amies A. A longitudinal study of falls in an elderly population. II. Some circumstances of falling. *Age Ageing* 1977 6:211-220. [Rec#: 1993]
- Ashton J, Gilbert D, Hayward G, O'dell C, Rogowski B. Predicting patient falls in an acute care nursing setting. *Kans Nurse* 1989 64:(10)3-5. [Rec#: 3665]
- Ashton Miller JA, Yeh MW, Richardson JK, Galloway T. A cane reduces loss of balance in patients with peripheral neuropathy: Results from a challenging unipedal balance test. *Arch Phys Med Rehabil* 1996 77 :(5)446-52. [Rec#: 509]
- Askham J, Glucksman E, Owens O, Swift C, Tinker A, Yu G. A Review of Research on Fall Among Elderly People. London: Age Concern Institute of Gerontology; 1990. [Rec#: 3269]
- Askham J, Glucksman E, Owens O, Swift C, Tinker A, Yu G. A review of research on falls among elderly people. London: Age Concern Institute of Gerontology; 1990. [Rec#: 1994]
- Bakarich A, McMillan V, Prosser R. The effect of a nursing intervention on the incidence of older patient falls. *Aust J Adv Nurs* 1997 15:(1)26-31. [Rec#: 611]
- Baker S. Injuries: The neglected epidemic. *J Trauma* 1985 27:343-8. [Rec#: 2791]
- Baker SP, Harvey AJ. Fall injuries in the elderly. *Clin Geriatr Med* 1985 1:501-512. [Rec#: 1995]
- Bannigan K. Research in practice: the University of York. A strategy for falls. *Ther Wkly* 1997 24:(24)8. [Rec#: 1454]
- Baraff LJ, Della Penna R, Williams N, Sanders A. Practice guideline for the ED management of falls in community-dwelling elderly persons. Kaiser Permanente Medical Group. *Ann Emerg Med* 1997 30:(4)480-92. [Rec#: 612]
- Baraff LJ, Della Penna RD, Williams N, Sanders A. Practice guideline for the ED management of falls in community-dwelling elderly persons. *Ann Emerg Med* 1997 30:(4)480-92. [Rec#: 1330]
- Baraff LJ, Lee TJ, Kader S, Della Penna R. Effect of a practice guideline for emergency department care of falls in elder patients on subsequent falls and hospitalizations for injuries [see comments]. *Acad Emerg Med* 1999 6:(12)1224-31. [Rec#: 2517]
- Barbieri EB. Patient falls are not patient accidents. *J Gerontol Nurs* 1983 9:(3)165-73. [Rec#: 511]
- Barker SM, O'Brien CN, Carey D, Weissman GK. Quality improvement in action: a falls prevention and management program. *Mt Sinai J Med* 1993 60:(5)387-90. [Rec#: 3660]
- Barlett H, Burnip S. Quality of care in nursing homes for older people: providers' perspectives and priorities. *NT Res* 1998 3:(4)257-68. [Rec#: 1275]
- Barr J, Brown P, Perry G. Risk factors associated with falls in the elderly rehabilitation client. *Aust J Ageing* 1999 18:(1)27-31. [Rec#: 1515]
- Bateman M. Prevention of falls in people over 65. *Nurs Times* 1998 94:(32)62-3. [Rec#: 1462]
- Bates DW, Pruess K, Souney P, Platt R. Serious falls in hospitalized patients: correlates and resource utilization. *Am J Med* 1995 99:(2)137-43. [Rec#: 613]
- Bath PA, Morgan K. Differential risk factor profiles for indoor and outdoor falls in older people living at home in Nottingham, UK. *Eur J Epidemiol* 1999 15:(1)65-73. [Rec#: 1600]
- Beaves RG, Joseph H, Rohrer JE, Zeitler RR. Cost effectiveness. How should it be determined? *Eval Health Prof* 1988 11:(2)213-30. [Rec#: 3102]

## Rejected Articles

- Becker C, Walterjung B, Scapan K, Kron M, Nikolaus T. Study design of a multifactorial intervention trial to reduce proximal femoral fractures in institutionalized elderly - goals and design of a population based study. *Z Gerontol Geriatr* 1997 30:(4) 293-297. [Rec#: 1544]
- Beier MT, Maricic MJ, Staats DO. Management of osteoporosis and risk assessment for falls in long-term care. *Ann Long Term Care* 1998 6:(Suppl D)1-16. [Rec#: 1435]
- Belfield P, Young J, Bagnall W, Mulley G. Deliberate falls in the elderly. *Age Ageing* 1987 16:123-4. [Rec#: 2792]
- Bellew JW. Nonpathological changes in the neuromuscular system as a function of aging. *Issues Aging* 1998 21:(4)3-9. [Rec#: 1397]
- Berg WP, Alessio HM, Mills EM, Tong C. Circumstances and consequences of falls in independent community-dwelling older adults. *Age Ageing* 1997 26:(4)261-8. [Rec#: 3627]
- Berg WP, Lapp BA. The effect of a practical resistance training intervention on mobility in independent, community-dwelling older adults. *J Aging Phys Activity* 1998 6:(1)18-35. [Rec#: 1468]
- Bergland A, Pettersen AM, Laake K. Falls reported among elderly Norwegians living at home. *Physiother Res Int* 1998 3:(3)164-74. [Rec#: 1456]
- Berman P, O'Reilly SC. Clinical aspects of gait disturbance in the elderly. *Rev Clinical Gerontol* 1995 5:83-88. [Rec#: 705]
- Berry G, Fisher R, Lang S. Detrimental incidents, including falls in an elderly institutional population. *J Am Geriatr Soc* 1981 29:(7)322-324. [Rec#: 2793]
- Berstein AB, Schur CL. Expenditures for unintentional injuries among the elderly. *J Aging Health* 1990 2:157-178. [Rec#: 2721]
- Bezon J, Echevarria KH, Smith GB. Nursing outcome indicator: preventing falls for elderly people. *Outcomes Manage Nurs Pract* 1999 3:(3)112-7. [Rec#: 1386]
- Bhala RP, O'Donnell J, Thoppil E. Ptophobia. Phobic fear of falling and its clinical management. *Phys Ther* 1982 62:(2)187-90. [Rec#: 2498]
- Binder EF, Brown M, Craft S, Schechtman KB, Birge SJ. Effects of a group exercise program on risk factors for falls in frail older adults. *J Aging Phys Activity* 1994 2:25-37. [Rec#: 586]
- Birge SJ. Can falls and hip fracture be prevented in frail older adults? *J Am Geriatr Soc* 1999 47:(10)1265-1266. [Rec#: 1568]
- Bisdorff AR, Bronstein AM, Wolsley C, Gresty MA, Davies A, Young A. EMG responses to free fall in elderly subjects and akinetic rigid patients. *J Neurol Neurosurg Psychiatry* 1999 66:(4)447-55. [Rec#: 1599]
- Black DM, Cummings SR, Karpf DB, Cauley JA, Thompson DE, Nevitt MC, et al. Randomised trial of effect of alendronate on risk of fracture in women with existing vertebral fractures. Fracture Intervention Trial Research Group. *Lancet* 1996 348:(9041)1535-41. [Rec#: 3672]
- Black F, Wall C, Rockette H, Kitch R. Normal subject postural sway during the Romberg Test. *Am J Otolaryngology* 1982 3:(5)309-318. [Rec#: 2794]
- Blake A, Morgan K, Bendall M, Dallosso H, Ebrahim S, Arie T, et al. Falls by elderly people at home: Prevalence and associated factors. *Age Ageing* 1988 17:(6)365-372. [Rec#: 2795]
- Blake AJ, Morgan K, Bendall MJ, et al. Falls by elderly people at home: Prevalence and associated factors. *Age Ageing* 1988 17:365-372. [Rec#: 2759]

## Rejected Articles

- Blake AJ, Norgan J, Bendall MJ, et al. Falls by elderly persons at home: Prevelance and associated factors. *Age Ageing* 1988 17:365-372. [Rec#: 2719]
- Blegen MA, Vaughn T. A multisite study of nurse staffing and patient occurrences. *Nurs Econ* 1998 16:(4)196-203. [Rec#: 1481]
- Blumenthal MD, Davie JW. Dizziness and falling in elderly psychiatric outpatients. *Am J Psychiatry* 1980 137:(2)203-6. [Rec#: 2499]
- Bohannon RW, Andrews AW, Thomas MW. Walking speed: reference values and correlates for older adults. *J Orthop Sports Phys Ther* 1996 24:(2)86-90. [Rec#: 614]
- Boninger ML, Robinson CJ, Whitney S, Redfern MS, Musolino MC. Geriatrics. Minimizing falls in the elderly. *Rehabil Rd Prog Rep* 1998 35:108-9. [Rec#: 1420]
- Boucher C. Accidents among old persons. *Geriatrics* 1959 293-300. [Rec#: 2796]
- Bouxsein ML, Coan BS, Lee SC. Prediction of the strength of the elderly proximal femur by bone mineral density and quantitative ultrasound measurements of the heel and tibia. *Bone* 1999 25:(1)49-54. [Rec#: 1591]
- Bowling A, Formby J. Accidents in elderly care: A randomised controlled trial (Part 1). *Nurs Stand* 1992 6:(29)28-30. [Rec#: 514]
- Bowling A, Formby J, Grant K. Accidents in elderly care: A randomised controlled trial (Part 3). *Nurs Stand* 1992 6:(31)25-7. [Rec#: 512]
- Brady R, Chester FR, Pierce LL, Salter JP, Schreck S, Radziewicz R. Geriatric falls: Prevention strategies for the staff. *J Gerontol Nurs* 1993 19:(9)26-32. [Rec#: 515]
- Braun BL. Knowledge and perception of fall-related risk factors and fall-reduction techniques among community-dwelling elderly individuals. *Phys Ther* 1998 78:(12)1262-76. [Rec#: 1309]
- Briggs AH. Handling uncertainty in cost-effectiveness models. *Pharmacoeconomics* 2000 17:(5)479-500. [Rec#: 3096]
- Brill PA, Matthews M, Mason J, Davis D, Mustafa T, Macera C. Improving functional performance through a group-based free weight strength training program in residents of two assisted living communities. *Phys Occup Ther Geriatr* 1998 15:(3)57-69. [Rec#: 1422]
- Brown AP. Reducing falls in elderly people: A review of exercise interventions. *Physiother Theory Pract* 1999 15:(2)59-68. [Rec#: 1579]
- Buchner D, Cress ME, Wagner EH, de Lateur BJ. The role of exercise in fall prevention: Developing targeting criteria for exercise programs. In: Vellas B, Toupet M, Rubenstein L, Albareda JL, Christen Y. (Eds.) *Falls, balance, and gait disorders in the elderly*. Amsterdam: Elsevier; 1992. p. 55-68. [Rec#: 581]
- Buchner DM. Preserving mobility in older adults. *West J Med* 1997 167:(4)258-64. [Rec#: 1627]
- Buchner DM, Cress ME, Wagner EH, de Lateur BJ, Price R, Abrass IB. The Seattle FICSIT/MoveIt study: The effect of exercise on gait and balance in older adults. *J Am Geriatr Soc* 1993 41:(3)321-5. [Rec#: 489]
- Buchner DM, Hornbrook MC, Kutner NG, Tinetti ME, Ory MG, Mulrow CD, et al. Development of the common data base for the FICSIT trials. *J Am Geriatr Soc* 1993 41:(3)297-308. [Rec#: 488]
- Buchner DM, Larson EB. Falls and fractures in patients with Alzheimer-type dementia. *JAMA* 1987 257:1492-1495. [Rec#: 1996]
- Buchner DM, Larson EB. Transfer bias and the association of cognitive impairment with falls. *J Gen Intern Med* 1988 3:254-259. [Rec#: 1997]

## Rejected Articles

- Burker EJ, Wong H, Sloane PD, Mattingly D, Preisser J, Mitchell CM. Predictors of fear of falling in dizzy and nondizzy elderly. *Psychol Aging* 1995 10:(1)104-10. [Rec#: 618]
- Byers V, Arrington ME, Finstuen K. Predictive risk factors associated with stroke patient falls in acute care settings. *J Neurosci Nurs* 1990 22:147-154. [Rec#: 2750]
- Campbell AJ, Borrie MJ, Spears GF. Risk factors for fall in a community-based prospective study of people 70 years and older. *J Gerontol* 1989 44:M112-M117. [Rec#: 1998]
- Cameron I, Kurle S, Cumming R. Preventing falls in the elderly at home: A community-based program. *Med J Aust* 1996 165:(8)459-60. [Rec#: 464]
- Camicioli R, Panzer VP, Kaye J. Balance in the healthy elderly: posturography and clinical assessment. *Arch Neurol* 1997 54:(8)976-81. [Rec#: 619]
- Campbell AJ. Preventing falls by dealing with the causes [editorial]. *Med J Aust* 1997 167:(8)407-8. [Rec#: 2516]
- Campbell AJ. Role of rehabilitation in fall recovery and prevention. *Rev Clinical Gerontol* 1992 2:(1)53-65. [Rec#: 588]
- Campbell AJ, Borrie M, Spears G, Jackson S, et al. Circumstances and consequences of falls experienced by a community population 70 years and on during a study. *Age Ageing* 1990 19:136-141. [Rec#: 2776]
- Campbell AJ, Borrie MJ, Spears GF. Risk factor for falls in a community-based prospective study of people 70 years and older. *J Gerontol* 1989 44:M112-117. [Rec#: 2751]
- Campbell AJ, Borrie MJ, Spears GF. Risk factors for falls in a community-based prospective study of people 70 years and older. *J Gerontol* 1989 44:M112-M117. [Rec#: 2725]
- Campbell AJ, Reinken J, Allan BC, Martinez GS. Falls in old age: A study of frequency and related clinical factors . *Age Ageing* 1981 10:264-270. [Rec#: 1999]
- Campbell AJ, Robertson MC, Gardner MM. Elderly people who fall: Identifying and managing the causes. *Br J Hosp Med* 1995 54:(10)520-3. [Rec#: 620]
- Campbell AJ, Robertson MC, Gardner MM, Norton RN, Tilyard MW, Buchner DM. Randomized controlled trial of a general practice programme of home based exercise to prevent falls in elderly women. *BMJ* 1997 315:1065-9 . [Rec#: 1333]
- Campbell AJ, Spears GF, Borrie MJ. Examination by logistic regression modelling of the variables which increase the relative risk of elderly women falling compared to elderly men. *J Clin Epidemiol* 1990 43 :1415-1420. [Rec#: 2000]
- Campbell JA. Drug treatment as a cause of falls in old age. A review of offending agents. *Drugs Aging* 1991 1:289-302. [Rec#: 2783]
- Cannard G. Falling trend. *Nurs Times* 1996 92:(2)36-7. [Rec#: 516]
- Cao C, Ashton-Miller JA, Schultz AB, Alexander NB. Abilities to turn suddenly while walking: Effects of age, gender, and available response time. *J Gerontol* 1997 52:(2)M88-M93. [Rec#: 1788]
- Capezuti E, Strumpf N, Evans L, Maislin G. Outcomes of nighttime physical restraint removal for severely impaired nursing home residents. *Am J Alzheimers Dis* 1999 14:(3)157-64. [Rec#: 1391]
- Cauley JA, Cummings SR, Seeley DG, Black D, Browner W, Kuller LH, et al. Effects of thiazide diuretic therapy on bone mass, fractures, and falls. The Study of Osteoporotic Fractures Research Group. *Ann Intern Med* 1993 118:(9)666-73. [Rec#: 1684]
- Cerrato PL. Complementary therapies. Tai chi: a martial art turns therapeutic. *RN* 1999 62:(2)59-60, 75. [Rec#: 1308]

## Rejected Articles

- Chandler JM, Hadley EC. Exercise to improve physiologic and functional performance in old age. *Clin Geriatr Med* 1996 12:(4)761-84. [Rec#: 517]
- Cheng P, Liaw M, Wong M, Tang F, Lee M, Lin P. The sit-to-stand movement in stroke patients and its correlation with falling. *Arch Phys Med Rehabil* 1998 79:(9)1043-6. [Rec#: 1426]
- Cho CY, Alessi CA, Cho M, Aronow HU, Stuck AE, Rubenstein LZ, et al. The association between chronic illness and functional change among participants in a comprehensive geriatric assessment program. *J Am Geriatr Soc* 1998 46:(6)677-682. [Rec#: 1535]
- Cho CY, Kamen G. Detecting balance deficits in frequent fallers using clinical and quantitative evaluation tools. *J Am Geriatr Soc* 1998 46:(4)426-30. [Rec#: 622]
- Chu L, Pei CKW, Chiu A, Liu K, Chu MML, Wong S, et al. Risk factors for falls in hospitalized older medical patients. *J Gerontol A Biol Sci Med Sci* 1999 54A:(1)M38-43. [Rec#: 1423]
- Cipriany Dacko LM, Innerst D, Johannsen J, Rude V. Interrater reliability of the Tinetti Balance Scores in novice and experienced physical therapy clinicians. *Arch Phys Med Rehabil* 1997 78:(10)1160-4. [Rec#: 623]
- Clark RD, Lord SR, Webster IW. Clinical parameters associated with falls in elderly population. *Gerontology* 1993 39:117-123. [Rec#: 2001]
- Clark S, Rose DJ, Fujimoto K. Generalizability of the limits of stability test in the evaluation of dynamic balance among older adults. *Arch Phys Med Rehabil* 1997 78:(10)1078-84. [Rec#: 1629]
- Clemson L, Cumming RG, Roland M. Case-control study of hazards in the home and risk of falls and hip fractures. *Age Ageing* 1996 25:(2)97-101. [Rec#: 520]
- Clemson L, Fitzgerald MH, Heard R. Content validity of an assessment tool to identify home fall hazards: the Westmead Home Safety Assessment. *Br J Occup Ther* 1999 62:(4)171-9. [Rec#: 1290]
- Clemson L, Fitzgerald MH, Heard R, Cumming RG. Inter-rater reliability of a home fall hazards assessment tool. *Occup Ther J Res* 1999 19:(2)83-100. [Rec#: 1399]
- Cohen L, Guin P. Implementation of a patient fall prevention program. *J Neurosci Nurs* 1991 23:(5)315-9. [Rec#: 3659]
- Collen FM. The measurement of standing balance after stroke. *Physiother Theory Pract* 1995 11:(2)109-18. [Rec#: 1317]
- Collins JJ, Pavlik AE, De Luca CJ, Kerrigan C, Lipsitz LA. Geriatrics. Quantitative posturography: age-related changes in postural stability. *Rehabil Rd Prog Rep* 1998 35:106. [Rec#: 1305]
- Commodore DI. Falls in the elderly population: a look at incidence, risks, healthcare costs, and preventive strategies. *Rehabil Nurs* 1995 20:(2)84-9. [Rec#: 624]
- Connell BR, Wolf SL. Environmental and behavioral circumstances associated with falls at home among healthy elderly individuals. Atlanta FICSIT Group. *Arch Phys Med Rehabil* 1997 78:(2)179-86. [Rec#: 625]
- Coombs F. Engineering technology in rehabilitation of older adults. *Exp Aging Res* 1994 20:(3)201-9. [Rec#: 521]
- Cooper BA, Stewart D. The effect of a transfer device in the homes of elderly women. *Phys Occup Ther Geriatr* 1997 15:(2)61-77. [Rec#: 706]
- Cooper JW. Adverse drug reaction-related hospitalizations of nursing facility patients: a 4-year study. *South Med J* 1999 92:(5)485-90. [Rec#: 1672]
- Coutts F. Masterclass. Gait analysis in the therapeutic environment. *Manual Ther* 1999 4:(2)2-10. [Rec#: 1402]

## Rejected Articles

- Croft W, Foraker S. Working together to prevent falls. *RN* 1992 55:(11)17-8, 20. [Rec#: 3661]
- Cumming RG. Epidemiology of medication-related falls and fractures in the elderly. *Drugs Aging* 1998 12:(1)43-53. [Rec#: 626]
- Cumming RG, Kelsey JL, Nevitt MC. Methodological issues in the study of frequent and recurrent health problems. Falls in the elderly. *Ann Epidemiol* 1990 1:49-56. [Rec#: 2002]
- Cumming RG, Klineberg RJ. Fall frequency and characteristics and the risk of hip fractures. *J Am Geriatr Soc* 1994 42:(7)774-8. [Rec#: 1681]
- Cumming RG, Miller JP, Kelsey JL, et al. Medications and multiple falls in elderly people. *Age Ageing* 1991 20:455-461. [Rec#: 2749]
- Cummings S, Nevitt M, Kidd S. Forgetting falls: The limited accuracy of recall falls in the elderly. *J Am Geriatr Soc* 1988 36 :(7)613-616. [Rec#: 2797]
- Cummings SR, Nevitt MC, Browner WS, Stone K, Fox KM, Ensrud KE, et al. Risk factors for hip fracture in white women. Study of Osteoporotic Fractures Research Group. *N Engl J Med* 1995 332:(12)767-73. [Rec#: 3628]
- Curb JD, Applegate WB, Vogt TM, et al. Antihypertensive therapy and fractures in the systolic hypertension in the elderly program. *J Am Geriatr Soc* 1993 41:SA15. [Rec#: 2787]
- Cutillo Schmitter TA, Rovner BW, Shmuel Y. Falls prevention study: A practical approach. *J Healthc Risk Manag* 1996 16:(4)56-68. [Rec#: 707]
- Cwikel J. Falls among elderly people living at home: Medical and social factors in a national sample. *Isr J Med Sci* 1992 37:137-143. [Rec#: 2728]
- Cwikel J. Falls among the elderly people living at home: Medical and social factors in a national sample. *Isr J Med Sci* 1992 7:446-453. [Rec#: 2762]
- Cwikel J, Fried AV. The social epidemiology of falls among community-dwelling elderly: Guidelines for prevention. *Disabil Rehabil* 1992 14:113-121. [Rec#: 2003]
- Cwikel J, KaplanG, Barell V. Falls and subjective health rating among the elderly: Evidence from two Israeli samples. *Soc Sci Med* 1990 31:485-490. [Rec#: 2004]
- Cwikel JG, Fried AV, Biderman A, Galinsky D. Validation of a fall-risk screening test, the Elderly Fall Screening Test (EFST), for community-dwelling elderly. *Disabil Rehabil* 1998 20:(5)161-7. [Rec#: 627]
- Dargent Molina P. Risk factors and prevention of fractures in the elderly. *Curr Opin Rheumatol* 1998 10:(4)357-61. [Rec#: 1469]
- Das S, Kataria M, Phillips S. A safe home. *Br J Geriatr & Psychogeriatr* 1979 5:162-164. [Rec#: 2798]
- Daubney ME, Culham EG. Lower-extremity muscle force and balance performance in adults aged 65 years and older. *Phys Ther* 1999 79:(12)1177-85. [Rec#: 2501]
- Davie J, Blumenthal M, Robinson-Hawkins S. A model of risk of falling for psychogeriatric patients. *Arch Gen Psychiatry* 1981 38:463-467. [Rec#: 2799]
- Davies AJ, Kenny RA. Falls presenting to the accident and emergency department: types of presentation and risk factor profile. *Age Ageing* 1996 25:(5)362-6. [Rec#: 628]
- Davies MJ, Dalsky GP. Normalizing strength for body size differences in older adults. *Med Sci Sports Exerc* 1997 29:(5)713-7. [Rec#: 1463]

## Rejected Articles

- Davis JW, Nevitt MC, Wasnich RD, Ross PD. A cross-cultural comparison of neuromuscular performance, functional status, and falls between Japanese and White women. *J Gerontol A Biol Sci Med Sci* 1999; 54A:(6)M288-92. [Rec#: 1381]
- Dawkins VH. Restraints and the elderly with mental illness: ethical issues and moral reasoning. *J Psychosoc Nurs Ment Health Serv* 1998; 36:(10)22-7, 36-7. [Rec#: 1464]
- Dawson P, Chapman KL, Shaw FE, Kenny RA. Measuring the outcome of physiotherapy in cognitively impaired elderly patients who fall. *Physiotherapy* 1997; 83:(7)352. [Rec#: 1585]
- Dayhoff NE, Suhrheimrich J, Wigglesworth J, Topp R, Moore S. Balance and muscle strength as predictors of frailty among older adults. *J Gerontol Nurs* 1998; 24:(7)18-27, 54-5. [Rec#: 1473]
- Dean E, Ross J. Relationships among cane fitting, function, and falls. *Phys Ther* 1993; 73:(8)494-500; discussion 501-4. [Rec#: 523]
- DerSimonian R, Laird N. Meta-analysis in clinical trials. *Control Clin Trials* 1986; 7:177-183. [Rec#: 2734]
- DeSantis J, Engberg S, Rogers J. Geropsychiatric restraint use. *J Am Geriatr Soc* 1997; 45:(12)1515-8. [Rec#: 1490]
- DeVito C, Lambert D, Sattin R, Bacchelli S, Ros A, Rodriguez J. Fall injuries among the elderly: Community-based surveillance. *J Am Geriatr Soc* 1988; 36:(11)1029-1039. [Rec#: 2800]
- Dewane JA. Dealing with dizziness and disequilibrium in older patients: A clinical approach. *Top Geriatr Rehabil* 1995; 11:(1)30-38. [Rec#: 708]
- Di Fabio RP, Seay R. Use of the "Fast Evaluation of Mobility, Balance, and Fear" in elderly community dwellers: validity and reliability. *Phys Ther* 1997; 77:(9)904-17. [Rec#: 1459]
- Dibartolo V. Management decisions: taking charge. 9 steps to effective restraint use. *RN* 1998; 61:(12)23-4. [Rec#: 1439]
- Dickersin K, Scherer R, Lefebvre C. Identifying relevant studies for systematic reviews. *BMJ* 1994; 309:(6964)1286-91. [Rec#: 3629]
- Dishman RK. Compliance/adherence in health related exercise. *Health Psychology* 1988; 1:237-267. [Rec#: 2738]
- Domholdt E, Kelly SP, Burrell AE. Patterns of arising from supine to standing by elderly individuals with unilateral transtibial amputations. *Issues Aging* 1998; 21:(1)3-8. [Rec#: 1494]
- Donald IP, Bulpitt CJ. The prognosis of falls in elderly people living at home. *Age Ageing* 1999; 28:(2)121-5. [Rec#: 1405]
- Doughty K, Cameron K. Continuous assessment of the risk of falling using telecare. *J Telemed Telecare* 1998; 4 Suppl 1:88-90. [Rec#: 629]
- Downton JF, Andrews K. Prevalence, characteristics and factors associated with falls among the elderly living at home. *Aging (Milano)* 1991; 3:218-228. [Rec#: 2005]
- Duncan PW, Studenski S, Chandler J, Prescott B. Functional reach: Predictive validity in a sample of elderly male veterans. *J Gerontol* 1992; 47:M93-M98. [Rec#: 2729]
- Dunn JE, Rudberg MA, Furner SE, Cassel CK. Mortality, disability and falls in older persons: The role of underlying disease and disability. *Am J Public Health* 1992; 82:395-400. [Rec#: 2006]
- Dunne RG, Bergman AB, Rogers LW, Inglis B, Rivara FP. Elderly persons' attitudes towards footwear--a factor in preventing falls. *Public Health Rep* 1993; 108:(2)245-8. [Rec#: 524]

## Rejected Articles

- Durward G, Non Pugh C, Ogunremi L, Wills R, Cottee M, Patel S. Detection of risk of falling and hip fracture in women referred for bone densitometry. *Lancet* 1999 354:(9174)220-1. [Rec#: 1592]
- Dyer CAE, Watkins CL, Gould C, Rowe J. Risk-factor assessment for falls: from a written checklist to the penless clinic. *Age Ageing* 1998 27:(5)569-72. [Rec#: 1453]
- Eagle DJ, Salama S, Whitman D, Evans LA, Ho E, Olde J. Assessment. Comparison of three instruments in predicting accidental falls in selected inpatients in a general teaching hospital. *J Gerontol Nurs* 1999 25 :(7)40-5. [Rec#: 1288]
- Earthy A. QUI contributes to cost-effective contented care. *Perspectives* 1998 22:(4)6-10. [Rec#: 1427]
- Eastwood EA, Schechtman J. Director observation nursing: adverse patient behaviors and functional outcomes. *Nurs Econ* 1999 17 :(2)96-102. [Rec#: 1410]
- Edwards N. A structured and individualised safety programme reduced falls in high risk nursing home patients. *Evid Based Nurs* 1998 1 :(2)52. [Rec#: 1341]
- Edwards N, Cere M, Leblond D. A community-based intervention to prevent falls among seniors. *Fam Community Health* 1993 15 :(4)57-65. [Rec#: 589]
- Ehrenberg A, Ehnfors M. Patient problems, needs, and nursing diagnoses in Swedish nursing home records. *Nurs Diagn J Nurs Lang Classif* 1999 10:(2)65-76. [Rec#: 1287]
- Ejaz FK, Jones JA, Rose MS. Falls among nursing home residents: An examination of incident reports before and after restraint reduction programs. *J Am Geriatr Soc* 1994 42:960-964. [Rec#: 2007]
- Ejaz FK, Jones JA, Rose MS. Falls among nursing home residents: An examination of incident reports before and after restraint reduction programs. *J Am Geriatr Soc* 1994 42:(9)960-4. [Rec#: 525]
- Ekman A, Mallmin H, Michaelsson K, Ljunghall S. External hip protectors to prevent osteoporosis hip fractures. *Lancet* 1997 350:(9077)563-4. [Rec#: 1343]
- El Kashlan HK, Shepard NT, Asher AM, Smith Wheelock M, Telian SA. Evaluation of clinical measures of equilibrium. *Laryngoscope* 1998 108:(3)311-9. [Rec#: 630]
- El Sanadi N. Geriatric injury prevention. A new role for EMS personnel? *Emerg Med Serv* 1996 25:(1)51-3, 67. [Rec#: 631]
- Englander F, Hodson TJ, Terregrossa RA. Economic dimensions of slip and fall injuries. *J Forensic Sci* 1996 41:(5)733-46. [Rec#: 632]
- Eto F, Saotome I, Furuiichi T, Ogasawara M. Effects of long-term use of benzodiazepines on gait and standing balance in the elderly. *Ann N Y Acad Sci* 1998 860:543-5. [Rec#: 1607]
- Evans D, Hodgkinson B, Lambert L, Wood J. Fall prevention: A systematic review. *Clinical Effectiveness in Nursing* 1999 3:106-111. [Rec#: 3668]
- Evans D, Hodgkinson B, Lambert L, Wood J. Falls risk factors in the hospital setting: a systematic review. *Int J Nurs Pract* 2001 7:(1)38-45. [Rec#: 3653]
- Evans LK, Strumpf NE, Allen Taylor SL, Capezuti E, Maislin G, Jacobsen B. A clinical trial to reduce restraints in nursing homes... initial findings presented at the 47th Annual Scientific Meeting of the Gerontological Society of America, Atlanta, Georgia, November, 1994. *J Am Geriatr Soc* 1997 45:(6)675-81. [Rec#: 1356]
- Farquharson A. Falls in old age: Clinical aspects. In: Kataria M. (ed) *Fits, Faints and Falls in Old Age*. MTP Press; 1985. [Rec#: 2824]

## Rejected Articles

- Feder G, Cryer C, Carter Y. Guidelines for the prevention of falls in people over 65. BMJ 2000 321:(7267)1007. [Rec#: 3092]
- Feltner ME, MacRae PG, McNitt Gray JL. Quantitative gait assessment as a predictor of prospective and retrospective falls in community-dwelling older women. Arch Phys Med Rehabil 1994 75:(4)447-53. [Rec#: 526]
- Ferrari A. Fear of falling among community elders. Temple University. 1996. [Rec #: 1276]
- Fiatarone MA, O'Neill EF, Doyle N, Clements KM, Roberts SB, Kehayias JJ, et al. The Boston FICSIT study: the effects of resistance training and nutritional supplementation on physical frailty in the oldest old. J Am Geriatr Soc 1993 41:(3)333-7. [Rec#: 528]
- Fife DD, Solomon P, Stanton M. A risk/falls program: code orange for success. Nurs Manage 1984 15:(11)50-3. [Rec#: 3657]
- Fishman MN, Colby LA, Sachs LA, Nichols DS. Comparison of upper-extremity balance tasks and force platform testing in persons with hemiparesis. Phys Ther 1997 77:(10)1052-62. [Rec#: 1458]
- Fitzsimmons A, Freundlich B, Bonner F. Osteoporosis and rehabilitation. Crit Rev Phys Rehabil Med 1997 9:(3/4)331-53. [Rec#: 1331]
- Fleiss JL, Gross AJ. Meta-analysis in epidemiology with special reference to studies of the association between exposure to environmental tobacco smoke and lung cancer: A critique. Epidemiol 1991 44:27-139. [Rec#: 2735]
- Fletcher A. Multidimensional assessment of elderly people in the community. Br Med Bull 1998 54:(4)945-60. [Rec#: 1596]
- Fletcher PC. Falls among the elderly: risk factors and prevention strategies. University of Waterloo, Canada. 1996. [Rec #: 1385]
- Fortin JD, Yeaw EM, Campbell S, Jameson S. An analysis of risk assessment tools for falls in the elderly. Home Healthcare Nurse 1998 16:(9)624-9. [Rec#: 1145]
- Fox KM, Hawkes WG, Hebel JR, Felsenhal G, Clark M, Zimmerman SI, et al. Mobility after hip fracture predicts health outcomes. J Am Geriatr Soc 1998 46:(2)169-73. [Rec#: 634]
- Fransen M, Crosbie J, Edmonds J. Reliability of gait measurements in people with osteoarthritis of the knee. Phys Ther 1997 77 :(9)944-53. [Rec#: 635]
- Franssen EH, Souren LEM, Torossian CL, Reisberg B. Equilibrium and limb coordination in mild cognitive impairment and mild Alzheimer's disease. J Am Geriatr Soc 1999 47:(4)463-9. [Rec#: 1370]
- Frengley JD, Mion LC. Physical restraints in the acute care setting: issues and future direction. Clin Geriatr Med 1998 14:(4)727-43. [Rec#: 1373]
- Gabell A, Simons MA, Nayak USL. Falls in the healthy elderly: Predisposing causes. Ergonomics 1985 28:965-975. [Rec#: 2008]
- Gaebler S. Predicting which patient will fall again ... and again. J Adv Nurs 1993 18:(12)1895-902. [Rec#: 636]
- Gales BJ, Menard SM. Relationship between the administration of selected medications and falls in hospitalized elderly patients. Ann Pharmacother 1995 29:(4)354-8. [Rec#: 637 ]
- Galindo Ciocon DJ, Ciocon JO, Galindo DJ. Gait training and falls in the elderly. J Gerontol Nurs 1995 21:(6)10-7. [Rec#: 530]
- Gallagher EM, Scott VJ. The STEPS Project: participatory action research to reduce falls in public places among seniors and persons with disabilities. Can J Public Health 1997 88:(2)129-33. [Rec#: 638]

## Rejected Articles

- Gardner MM, Buchner DM, Robertson C, Campbell AJ. Practical implementation of an exercise-based falls prevention programme. *Age and Ageing* 2001 30:77-83. [Rec#: 3655]
- Gardner MM, Robertson MC, Campbell AJ. Exercise in preventing falls and fall related injuries in older people: a review of randomised controlled trials. *Br J Sports Med* 2000 34:(1)7-17. [Rec#: 2520]
- Gehlsen GM, Whaley MH. Falls in the elderly. Part I. Gait. *Arch Phys Med Rehabil* 1990 71:739-741. [Rec#: 2009]
- Gibson M. The prevention of falls in later life. *Dan Med Bull Gerontology Special Supplement Series No 4* 1987 34. [Rec#: 2801]
- Gill TM, Williams CS, Tinetti ME. Environmental hazards and the risk of nonsyncopal falls in the homes of community-living older persons. *Med Care* 2000 38:(12)1174-83. [Rec#: 3630]
- Gill TM. Preventing falls: to modify the environment or the individual? *J Am Geriatr Soc* 1999 47:(12)1471-2. [Rec#: 2502]
- Gill TM, Robison JT, Williams CS, Tinetti ME . Mismatches between the home environment and physical capabilities among community-living older persons . *J Am Geriatr Soc* 1999 47:(1)88-92. [Rec#: 1676]
- Gillespie LD, Gillespie WJ, Cumming R, Lamb SE, Rowe BH. Interventions for preventing falls in the elderly. In: *The Cochrane Library, Issue 3. 2002.* [Rec#: 709]
- Gillies D. Elderly trauma: they are different. *Aust Crit Care* 1999 12:(1)24-30. [Rec#: 1404]
- Gilsenan B, Hill KD, Kerse N. A falls intervention database - Describing and evaluating falls prevention programs nationally. *Austral J A* 1999 18:(4)167-173. [Rec#: 1705]
- Gluck T, Wientjes HJ, Rai GS. An evaluation of risk factors for in-patient falls in acute and rehabilitation elderly care wards. *Gerontology* 1996 42:(2)104-7. [Rec#: 639]
- Glynn RJ, Seddon JM, Krug JH Jr, Sahagian CR, Chiavelli ME, Campion EW. Falls in elderly patients with glaucoma. *Arch Ophthalmol* 1991 109:(2)205-10. [Rec#: 1689]
- Gold MR. Standardizing cost-effectiveness analyses: the panel on cost-effectiveness in health and medicine. *Acad Radiol* 1998 5 Suppl 2:S351-4. [Rec#: 3098]
- Gordon M. Occult cardiac arrhythmias associated with falls and dizziness in the elderly: detection by Holter monitoring. *J Am Geriatr Soc* 1978 26:(9)418-423. [Rec#: 2802]
- Gotzsche PC, Liberati A, Torri V, Rossetti L . Beware of surrogate outcome measures. *Int J Technol Assess Health Care* 1996 12:(2)238-46. [Rec#: 3631]
- Graafmans WC, Ooms ME, Hofstee HM, Bezemer PD, Bouter LM, Lips P. Falls in the elderly: a prospective study of risk factors and risk profiles. *Am J Epidemiol* 1996 143:(11)1129-36. [Rec#: 1215]
- Graham HJ, Firth J. Home accidents in older people: Role of primary health care team . *BMJ* 1992 305:(6844)30-2. [Rec#: 2503]
- Granek E, Baker SP, Abbey H, Robinson E, Myers AH, Samkoff JS, et al. Medications and diagnoses in relation to falls in a long-term care facility. *J Am Geriatr Soc* 1987 35:503-511. [Rec#: 2010]
- Grant J, Hamilton S. Falls in a rehabilitation center: A retrospective and comparative analysis. *Rehabil Nurs* 1987 12:(2)74-6. [Rec#: 2803]
- Griffiths H, Jordan S. Thinking of the future and walking back to normal: an exploratory study of patients' experiences during recovery from lower limb fracture. *J Adv Nurs* 1998 28:(6)1276-88. [Rec#: 1431]

## Rejected Articles

- Grisso JA, Kelsey JL, Strom BL. Risk factors for falls as a cause of hip fracture in women. *N Engl J Med* 1991 324:(1326-1331). [Rec#: 2011]
- Grisso JA, Kelsey JL, Strom BL, Chiu GY, Maislin G, O'Brien LA, et al. The Northeast Hip Fracture Study Group. Risk factors for falls as a cause of hip fracture in women. *N Eng J Med* 1991 324: 1326-1331. [Rec#: 2012 ]
- Grisso JA, Schwartz DF, Wolfson D, Polansky M, LaPenn K. The impact of falls in an inner-city elderly African-American population. *J Am Geriatr Soc* 1992 40:673-678. [Rec#: 2013]
- Gryfe CI, Amies A, Ashley MJ. A longitudinal study of falls in an elderly population: I. Incidence and morbidity. *Age Ageing* 1977 6:201-210. [Rec#: 2014]
- Gunter Nelson. Outpatient Ambulatory Surgery History and Physical Examination Documentation. In: Fall Prevention //Physical Activity. 1996. [Rec#: 1021]
- Gupta K. Falls in the elderly. *The Practitioner* 1986 230:373-5. [Rec#: 2804]
- Gupta R, Setty R, Joshi D. Pensioners attending an Accident and Emergency Department. *Age Ageing* 1985 14:(21-9). [Rec#: 2805]
- Haas BM, Whitmarsh TE. Inter- and intra-tester reliability of the Balance Performance Monitor in a non-patient population. *Physiother Res Int* 1998 3:(2)135-47. [Rec#: 1326]
- Haavisto M, Heikinheimo R, Mattila K, Rajala S. Living conditions and health of a population aged 85 years or over: A five year follow up study. *Age Ageing* 1985 14:202-208. [Rec#: 2806]
- Hadley EC. The science of the art of geriatric medicine. *JAMA* 1995 273:(17)1381-3. [Rec#: 487]
- Haga H, Shibata H, Shichata K, Matsuzaki T, Hatano S. Falls among the institutionalized elderly in Japan. *Arch Gerontol Geriatr* 1986 5:1-9. [Rec#: 2807]
- Hahn A, Van Beurden E, Kempton A, Sladden T, Garner E. Meeting the challenge of falls prevention at the population level: A community based intervention with older people in Australia. *Health Promot Int* 1996 11:203-11. [Rec#: 590]
- Hale W, Stewart R, Marks R. Central nervous system symptoms of elderly subjects using antihypertensive drugs. *J Am Geriatr Soc* 1984 32:(1)5-10. [Rec#: 2808]
- Hale WA, Delaney MJ, Cable T. Accuracy of patient recall and chart documentation of falls. *J Am Board Fam Pract* 1993 6:(3)239-42. [Rec#: 3632]
- Hale WA, Delaney MJ, McGaghie WC. Characteristics and predictors of falls in elderly patients. *J Fam Pract* 1992 34:557-581. [Rec#: 2015]
- Halpert A, Connors J. Prevention of patient falls through perceived control and other techniques. *Law Med Health Care* 1986 14:(1)20-24. [Rec#: 2809]
- Hansen FR, Spedtsberg K, Schroll M. Geriatric follow-up by home visits after discharge from hospital: A randomized controlled trial. *Age Ageing* 1992 21:(6)445-50. [Rec#: 533]
- Hausdorff JM, Edelberg HK, Mitchell SL, Goldberger AL, Wei JY. Increased gait unsteadiness in community-dwelling elderly fallers. *Arch Phys Med Rehabil* 1997 78:(3)278-83. [Rec#: 640]
- Hawes C, Mor V, Phillips CD, Fries BE, Morris JN, Steelefrieldlob E, et al. The obra-87 nursing home regulations and implementation of the resident assessment instrument: effects on process quality. *J Am Geriatr Soc* 1997 45:(8)977-985. [Rec#: 1649]
- Hayes KC. Falls and instability in the elderly. *Physiotherapy Canada* 1990 42:(2). [Rec#: 2531]

## Rejected Articles

- Hayes N. A risk assessment score predicted which elderly patients would fall during a hospital stay. *Evid Based Nurs* 1998 1:(3)90. [Rec#: 1388]
- Hayes WC, Myers ER, Robinovitch SN, Van Den Kroonenberg A, Courtney AC, McMahon TA. Etiology and prevention of age-related hip fractures. *Bone* 1996 18:(1 Suppl)77S-86S. [Rec#: 641]
- Hebert R, Brayne C, Spiegelhalter D. Factors associated with functional decline and improvement in a very elderly community-dwelling population. *Am J Epidemiol* 1999 150:(5)501-510. [Rec#: 1736]
- Heitman DK, Fossman MR, Shaddeau SA, Jackson JR. Balance performance and step within non-institutionalized elderly, female fallers and non-fallers. *Phys Ther* 1989 69:923-931. [Rec#: 2016]
- Helling TS, Watkins M, Evans LL, Nelson PW, Shook JW, Van Way CW. Low falls: an underappreciated mechanism of injury. *J Trauma Inj Infect Crit Care* 1999 46:(3)453-6. [Rec#: 1298]
- Henderson NK, White CP, Eisman JA. The roles of exercise and fall risk reduction in the prevention of osteoporosis. *Endocrinol Metab Clin North Am* 1998 27:(2)369-87. [Rec#: 1615]
- Hendrich A, Nyhuis A, Kippenbrock T, Soja ME. Hospital falls: development of a predictive model for clinical practice. *Appl Nurs Res* 1995 8:(3)129-39. [Rec#: 642]
- Hendrich AL. An effective unit-based fall prevention plan. *J Nurs Qual Assur* 1988 3:(1)28-36. [Rec#: 535]
- Hendriksen C, Lund E, Stromgard E. Consequences of assessment and intervention among elderly people: A three year randomised controlled trial. *BMJ (Clin Res Ed)* 1984 289:(6457)1522-4. [Rec#: 536]
- Hendriksen C, Lund E, Stromgard E. Hospitalization of elderly people. A 3-year controlled trial. *J Am Geriatr Soc* 1989 37:(2)117-22. [Rec#: 537]
- Hill BA, Johnson R, Garrett BJ. Reducing the incidence of falls in high risk patients. *J Nurs Adm* 1988 18:(7-8)24-8. [Rec#: 538]
- Hill KD, Dwyer JM, Schwarz JA, Helme RD. A falls and balance clinic for the elderly. *Physiother Can* 1994 46:(1)20-7. [Rec#: 592]
- Hill-Westmoreland EE, Soeken K, Spellbring AM. A meta-analysis of fall prevention programs for the elderly: how effective are they? *Nurs Res* 2002 51:(1)1-8. [Rec#: 3652]
- Hillsdon M, Thorogood M, Anstiss T, Morris J. Randomised controlled trials of physical activity promotion in free living populations. *J Epidemiol Community Health* 1995 49:448--453. [Rec#: 2739]
- Hinman MR. Causal attributions of falls in older adults. *Phys Occup Ther Geriatr* 1998 15:(3)71-84. [Rec#: 1306]
- Ho SC, Woo J, Lau J, Chan SG, Yuen YK, Chan YK, et al. Life satisfaction and associated factors in older Hong Kong Chinese. *J Am Geriatr Soc* 1995 43:(3)252-5. [Rec#: 3664]
- Ho SC, Woo J, Yuen YK, Sham A, Chan SG. Predictors of mobility decline: the Hong Kong Old-Old Study. *J Gerontol A Biol Sci Med Sci* 1997 52A:(6)M356-62. [Rec#: 1465]
- Hochberg MC, Williamson J, Skinner EA, Guralnik J, Kasper JD, Fried LP. The prevalence and impact of self-reported hip fracture in elderly community-dwelling women: the women's health and aging study. *Osteoporos Int* 1998 8:(4)385-389. [Rec#: 1516]
- Hogue C. Falls and mobility in late life: An ecological model. *J Am Geriatr Soc* 1984 32:(11)858-861. [Rec#: 2810]
- Hogue CC. Managing falls: The current bases for practice. In: Funk SG, Tornquist EM, Champagne MT, Weise RA. (Eds) *Key aspects of elder care: managing falls, incontinence and cognitive impairment*. New York: Springer; 1992. [Rec#: 2017]

## Rejected Articles

- Hokby A, Andersson R, Andersson SS. A community intervention program targeting the elderly in Stockholm county. *Scand J Rheumatol Suppl* 1996 103:115-8; discussion 119-22. [Rec#: 539]
- Holbrook TL, Barrett-Connor E, Wingard DL. Dietary calcium and risk of hip fracture: 14-year prospective population study. *Lancet* 1988 2:(8619)1046-9. [Rec#: 1691]
- Hollinger LM, Patterson PA, Funk SG, Tornquist EM, Champagne MT, Weise RA. A falls prevention program for the acute care setting. In: Funk SG, Tornquist EM, Champagne MT, Weise RA. (eds.) *Key aspects of elder care: Managing falls, incontinence, and cognitive impairment*. New York: Springer; 1992. p. 110-7. [Rec#: 593]
- Horak FB, Jones-Rycewicz C, Black FO, Shumway-Cook A. Effects of vestibular rehabilitation on dizziness and imbalance. *Otolaryngol Head Neck Surg* 1992 106:(2)175-80. [Rec#: 2527]
- Hornbrook MC, Stevens VJ, Wingfield DJ. Seniors' Program for Injury Control and Education. *J Am Geriatr Soc* 1993 41:(3)309-14. [Rec#: 439]
- Hoskin AF. Fatal falls: trends and characteristics. *Stat Bull Metrop Insur Co* 1998 79:(2)10-5. [Rec#: 643]
- Howland J, Lachman ME, Peterson EW, Cote J, Kasten L, Jette A. Covariates of fear of falling and associated activity curtailment. *Gerontologist* 1998 38:(5)549-55. [Rec#: 1419]
- Hsiao ET, Robinovitch SN. Common protective movements govern unexpected falls from standing height. *J Biomech* 1998 31:(1)1-9. [Rec#: 1537]
- Huda A, Wise LC. Evolution of compliance within a fall prevention program. *J Nurs Care Qual* 1998 12:(3)55-63. [Rec#: 644]
- Hwang MY. Falling and the elderly. *JAMA* 1999 281:(20)1962. [Rec#: 1380]
- Innes E. Maintaining fall prevention. *QRB Qual Rev Bull* 1985 217-221. [Rec#: 2811]
- Inouye SK, Wagner DR, Acampora D, Horwitz RI, Cooney Jr LM, Tinetti ME. A controlled trial of a nursing-centered intervention in hospitalized elderly medical patients: The Yale Geriatric Care Program. *J Am Geriatr Soc* 1993 41:(12)1353-60. [Rec#: 542]
- Isberner F, Ritzel D, Sarvela P, Brown K, Hu P, Newbolds D. Falls of elderly rural home health clients. *Home Health Care Serv Q* 1998 17:(2)41-51. [Rec#: 1443]
- Jagmin MG. Postoperative mental status in elderly hip surgery patients. *Orthop Nurs* 1998 17:(6)32-42. [Rec#: 1440]
- Janken JK, Reynolds BA, Swiech K. Patient falls in the acute care setting: Identifying risk factors. *Nurs Res* 1986 35:215-219. [Rec#: 2780]
- Janntti PO, Pyykko VI, Hervonen AL. Falls among elderly nursing home residents. *Public Health* 1993 107:89-96. [Rec#: 2018]
- Jitapunkul S, Songkhla MN, Chayovan N, Chirawatkul A, Choprapawon C, Kachondham Y, et al. Falls and their associated factors: a national survey of the Thai elderly. *J Med Assoc Thai* 1998 81:(4)233-42. [Rec#: 1618]
- Johansson B. Fall injuries among elderly persons living at home. *Scand J Caring Sci* 1998 12:(2)67-72. [Rec#: 1335]
- Jones D. Characteristics of elderly people taking psychotropic medication. *Drugs Aging* 1992 2:389-394. [Rec#: 2757]
- Josephson KR, Fabacher DA, Rubenstein LZ. Home safety and fall prevention. *Clin Geriatr Med* 1991 7:707-731. [Rec#: 2019]
- Kannus P. Preventing osteoporosis, falls, and fractures among elderly people. *BMJ* 1999 318:(7178)205-6. [Rec#: 1434]

## Rejected Articles

- Kannus P, Palvanen M, Niemi S, Parkkari J, Natri A, Vuori I, et al. Increasing number and incidence of fall-induced severe head injuries in older adults: nationwide statistics in Finland in 1970-1995 and prediction for the future. *Am J Epidemiol* 1999 149:(2)143-50. [Rec#: 1675]
- Kannus P, Parkkari J, Koskinen S, Niemi S, Palvanen M, Jarvinen M, et al. Fall-induced injuries and deaths among older adults. *JAMA* 1999 281:(20)1895-9. [Rec#: 1671]
- Kannus P, Parkkari J, Poutala J. Comparison of force attenuation properties of four different hip protectors under simulated falling conditions in the elderly: an in vitro biomechanical study. *Bone* 1999 25 :(2)229-35. [Rec#: 1590]
- Karlsson S, Bucht G, Sandman PO. Physical restraints in geriatric care: knowledge, attitudes and use. *Scand J Caring Sci* 1998 12 :(1)48-56. [Rec#: 1498]
- Karlsson S, Nyberg L, Sandman PO. The use of physical restraints in elder care in relation to fall risk. *Scand J Caring Sci* 1997 11:(4)238-42. [Rec#: 1349]
- Katz WA, Sherman C. Exercise is medicine. Osteoporosis: the role of exercise in optimal management. *Phys Sportsmed* 1998 26:(2)33-5, 39-42, 111-3. [Rec#: 1327]
- Kauffman TL, Gamber WS. The use of a balance beam for the assessment of dynamic balance in independently ambulating older adults. *Issues Aging* 1998 21:(2)18-20. [Rec#: 1474]
- Keim RJ, Cook M, Martini D. Balance rehabilitation therapy. *Laryngoscope* 1992 102:(11)1302-7. [Rec#: 645]
- Kellog International Work Group on the Prevention of Falls by the Elderly. The prevention of falls in later life. *Dan Med Bull* 1987 4:1-24. [Rec#: 1989]
- Kempton A, Van Beurden E, Sladden T, Garner E, Beard J. Older people can stay on their feet: final results of a community-based falls prevention programme. *Health Promot Int* 2000 15:(1)27-33. [Rec#: 1985]
- Kenny RA, Seifer C. Brief Report - SAFE PACE 2 Syncope And Falls in the Elderly Pacing And Carotid Sinus Evaluation: A Randomized Control Trial of Cardiac Pacing in Older Patients With Falls and Carotid Sinus Hypersensitivity. *Am J Geriatr Cardiol* 1999 8:(2)87-87. [Rec#: 3625]
- Kerman M, Mulvihill M. The role of medication in falls among the elderly in a long term care facility. *Mt Sinai J Med* 1990 57:343-347. [Rec#: 2779]
- Kessenich CR. Tai Chi as a method of fall prevention in the elderly. *Orthop Nurs* 1998 17:(4)27-9. [Rec#: 1480]
- Kiel DP. The evaluation of falls in the emergency department. *Clin Geriatr Med* 1993 9:(3)591-9. [Rec#: 646]
- Kiel DP, O'Sullivan P, Teno JM, Mor V. Health care utilization and functional status in the aged following a fall. *Med Care* 1991 29:221-228. [Rec#: 2722]
- Kiely DK, Kiel DP, Burrows AB, Lipsitz LA. Identifying nursing home residents at risk for falling. *J Am Geriatr Soc* 1998 46:551-555. [Rec#: 710]
- Killinger LZ. Trauma in the geriatric patient: a chiropractic perspective with a focus on prevention. *Top Clin Chiropract* 1998 5:(3)10-15, 64, 66-8. [Rec#: 1449]
- Kilpack V, Boehm J, Smith N, Mudge B. Using research-based interventions to decrease patient falls. *Appl Nurs Res* 1991 4:(2)50-5. [Rec#: 545]
- King MB, Tinetti ME. Falls in community-dwelling older persons. *J Am Geriatr Soc* 1995 43:1146-1154. [Rec#: 2819]
- King MB, Tinetti ME. A multifactorial approach to reducing injurious falls. *Clin Geriatr Med* 1996 12:(4)745-59. [Rec#: 498]

## Rejected Articles

- Koch M, Gottschalk M, Baker DI, Palumbo S, Tinetti ME. An impairment and disability assessment and treatment protocol for community-living elderly persons. *Phys Ther* 1994; 74(4):286-94; discussion 295-8. [Rec#: 499]
- Koller W, Glatt S, Vetere-Overfield B, Hassanein R. Falls and Parkinson's Disease. *Clin Neuropharmacol* 1989; 12:98-105. [Rec#: 2775]
- Konrad HR, Tomlinson D, Stockwell CW, Norre M, Horak FB, Shepard NT, et al. Rehabilitation therapy for patients with disequilibrium and balance disorders. *Otolaryngol Head Neck Surg* 1992; 107(1):105-8. [Rec#: 2526]
- Kool J, Oesch P, Sloksnath U, Knusel O. The use of Bally-Valens-Rehab shoes to improve gait in patients following stroke. *S Afr J Physiother* 1999; 55(2):18-22. [Rec#: 1277]
- Koski K, Luukinen H, Laippala P, Kivela SL. Physiological factors and medications as predictors of injurious falls by elderly people: a prospective population-based study. *Age Ageing* 1996; 25(1):29-38. [Rec#: 647]
- Krishna KM, Van Cleave RJ. Decrease in the incidence of patient falls in a geriatric hospital after educational programs. *J Am Geriatr Soc* 1983; 31(3):187. [Rec#: 546]
- Kriska AM, Bayles C, Cauley JA, LaPorte RE, Sandler RB, Pambianco G. A randomized exercise trial in older women: Increased activity over two years and the factors associated with compliance. *Med Sci Sports Exerc* 1986; 18(5):557-62. [Rec#: 2845]
- Kuipers HM, Hoefnagels WH, van Lier HJ. [Reduction of the number of falls in hospitalized patients using a risk index and through preventive measures]. *Ned Tijdschr Geneesk* 1993; 137(40):2043-8. [Rec#: 3612]
- Kustaborder MJ, Rigney M. Interventions for safety. *J Gerontol Nurs* 1983; 9(3):159-62, 173, 182. [Rec#: 547]
- Lachman ME, Howland J, Tennstedt S, Jette A, Assmann S, Peterson EW. Fear of falling and activity restriction: the survey of activities and fear of falling in the elderly (SAFE). *J Gerontol B Psychol Sci Soc Sci* 1998; 53(1):P43-50. [Rec#: 648]
- Lacroix AZ. Thiazide diuretic agents and prevention of hip fracture. *Compr Ther* 1991; 17(8):30-9. [Rec#: 548]
- Laferriere RH, Palermo SE, Scribner DW, Rutledge KL. Rural research: piloting a tool to identify home care clients' risk of falling. *Home Care Provider* 1998; 3(3):162-8. [Rec#: 1476]
- Lange M. The challenge of fall prevention in home care: A review of the literature. *Home Healthcare Nurse* 1996; 14(3):198-206. [Rec#: 711]
- Langley PC. Cost effectiveness and the allocation of therapies in a treating population [see comments]. *Pharmacoeconomics* 1996; 10(1):93-8. [Rec#: 3101]
- Langlois J, Smith GS, Nelson DE, Sattin RW, Stevens JA, DeVitto CA. Dependence in activities of daily living as a risk factor for all injury events in the community. *J Am Geriatr Soc* 1995; 43:275-278. [Rec#: 2020]
- Lappe JM. Prevention of hip fractures: a nursing imperative. *Orthop Nurs* 1998; 17(3):15-26. [Rec#: 1500]
- Lauritzen JB. Hip fractures. Epidemiology, risk factors, falls, energy absorption, hip protectors, and prevention. *Dan Med Bull* 1997; 44(2):155-68. [Rec#: 1202]
- Lauritzen JB, Petersen MM, Lund B. Effect of external hip protectors on hip fractures. *Lancet* 1993; 341(8836):11-3. [Rec#: 549]
- Lauritzen JB, Petersen MM, Lund B. External hip protectors against hip fractures. A randomized study in a nursing home. *Ugeskr Laeger* 1993; 155(20):1523-6. [Rec#: 550]
- Lawrence JI, Maher PL. An interdisciplinary falls consult team: A collaborative approach to patient falls. *J Nurs Care Qual* 1992; 6(3):21-9. [Rec#: 551]

## Rejected Articles

- Lawrence RH, Tennstedt SL, Kasten LE, Shih J, Howland J, Jette AM. Intensity and correlates of fear of falling and hurting oneself in the next year: baseline findings from a Roybal Center Fear of Falling Intervention. *J Aging Health* 1998 10:(3)267-86. [Rec#: 1484]
- Lawson J, Fitzgerald J, Birchall J, Aldren CP, Kenny RA. Diagnosis of geriatric patients with severe dizziness. *J Am Geriatr Soc* 1999 47:(1)12-7. [Rec#: 1610]
- Lee C. Attitudes, knowledge, and stages of change: A survey of exercise patterns in older Australian women. *Health Psychology* 1993 12:476-480. [Rec#: 2740]
- Lee LW, Kerrigan DC. Identification of kinetic differences between fallers and nonfallers in the elderly. *Am J Phys Med Rehabil* 1999 78:(3)242-6, 255-8, 271. [Rec#: 1390]
- Legge A. Falls in the elderly. OTs investigate cause of falls... the second of two articles on preventing falls among elderly people. *Ther Wkly* 1998 24:(26)6. [Rec#: 1497]
- Leipzig RM, Cumming RG, Tinetti ME. Drugs and falls in older people: a systematic review and meta-analysis: I. Psychotropic drugs. *J Am Geriatr Soc* 1999 47:(1)30-39. [Rec#: 1526]
- Leipzig RM, Cumming RG, Tinetti ME. Drugs and falls in older people: a systematic review and meta-analysis: II. Cardiac and analgesic drugs. *J Am Geriatr Soc* 1999 47:(1)40-50. [Rec#: 1525]
- Lewis LM, West OC, Standeven J, Jarvis HE. Do wrist guards protect against fractures? *Ann Emerg Med* 1997 29:(6)766-9. [Rec#: 1200]
- Lewis RD, Modlesky CM. Nutrition, physical activity, and bone health in women. *Int J Sport Nutr* 1998 8:(3)250-284. [Rec#: 1581]
- Li X, Hamdy R, Sandborn W, Chi D, Dyer A. Long-term effects of antidepressants on balance, equilibrium, and postural reflexes. *Psychiatry Res* 1996 63:(2-3)191-6. [Rec#: 649]
- Lieu PK, Ismail NH, Choo PW, Kwek PE, Heng LC, Govindaraju K. Prevention of falls in a geriatric ward. *Ann Acad Med Singapore* 1997 26:(3)266-70. [Rec#: 2514]
- Liljas B. How to calculate indirect costs in economic evaluations [see comments]. *Pharmacoeconomics* 1998 13:(1 Pt 1)1-7. [Rec#: 3100]
- Lipsitz LA, Jonsson PV, Kelley MM, Koestner JS. Causes and correlates of recurrent falls in ambulatory frail elderly. *J Gerontol* 1991 46:M114-122. [Rec#: 2021]
- Liu B, Anderson G, Mittmann N, et al . Use of selective serotonin-reuptake inhibitors or tricyclic antidepressants and risk of hip fractures in elderly people. *Lancet* 1998 351:1303-1307. [Rec#: 2768]
- Liu BA, Topper AK, Reeves RA, Gryfe C, Maki BE. Falls among older people: relationship to medication use and orthostatic hypotension . *J Am Geriatr Soc* 1995 43:(10)1141-5. [Rec#: 1678]
- Liu G, Peacock M. Age-related changes in serum undercarboxylated osteocalcin and its relationships with bone density, bone quality, and hip fracture. *Calcif Tissue Int* 1998 62:(4)286-9. [Rec#: 1620]
- Liu YJ, Stagni G, Walden JG, Shepherd AM, Lichtenstein MJ. Thioridazine dose-related effects on biomechanical force platform measures of sway in young and old men. *J Am Geriatr Soc* 1998 46:(4)431-7. [Rec#: 1197]
- Llewellyn J, Martin B, Shekleton M, Firlit S . Analysis of falls in the acute surgical and cardiovascular surgical patient. *Appl Nurs Res* 1988 1:(3)116-21. [Rec#: 3662]
- Lord SR. Falls in the elderly: Admission, bed use, outcome and projections (letter). *Med J Aust* 1990 153:117-118. [Rec#: 2741]

## Rejected Articles

- Lord SR, Anstey KJ, Williams P, Ward JA. Psychoactive medications use, sensori-motor function and falls in older women. *Br J Clin Pharmacol* 1995 39:227-234. [Rec#: 2770]
- Lord SR, Bashford GM, Howland A, Munroe BJ. Effects of shoe collar height and sole hardness on balance in older women. *J Am Geriatr Soc* 1999 47:(6)681-684. [Rec#: 1512]
- Lord SR, Clark RD. Simple physiological and clinical tests for the accurate prediction of falling in older people. *Gerontology* 1996 42:(4)199-203. [Rec#: 650]
- Lord SR, Clark RD, Webster IW. Physiological factors associated with falls in an elderly population. *J Am Geriatr Soc* 1991 39:11994-1200. [Rec#: 2761]
- Lord SR, Lloyd DG, Li SK. Sensori-motor function, gait patterns and falls in community-dwelling women. *Age Ageing* 1996 25:(4)292-9. [Rec#: 651]
- Lord SR, McLean D, Strathers G. Physiological factors associated with injurious falls in older people living in the community. *Gerontologist* 1992 38:338-346. [Rec#: 2754]
- Lord SR, Sambrook PN, Gilbert C, Kelley PJ, Nguyen T, Webster IW, et al. Postural stability, falls and fractures in the elderly: Results from the Dubbo Osteoporosis Epidemiology Study. *Med J Aust* 1994 160:684-691. [Rec#: 2022]
- Lord SR, Ward JA, Williams P, Anstey KJ. Physiological factors associated with falls in older community-dwelling women. *J Am Geriatr Soc* 1994 42:1110-1117. [Rec#: 2742]
- Lord SR, Ward JA, Williams PH, Anstey KJ. An epidemiological study if falls in older community-dwelling women: The Randwick Falls and Fractures Study. *Aus J Public Health* 1993 17:240-245. [Rec#: 2023]
- Lord SR, Webster IA. Visual field dependence in elderly fallers and non-fallers. *Int J Aging Human Dev* 1990 31:267-277. [Rec#: 2024]
- Lundin Olsson L, Nyberg L, Gustafson Y. Attention, frailty, and falls: the effect of a manual task on basic mobility. *J Am Geriatr Soc* 1998 46:(6)758-61. [Rec#: 652]
- Lundin Olsson L, Nyberg L, Gustafson Y. 'Stops walking when talking' as a predictor of falls in elderly people. *Lancet* 1997 349:(9052)617. [Rec#: 1587]
- Lunkinen H, Koski K, Laippala P, Kivela S. Factors predicting fractures during falling impacts among home-dwelling older adults. *J Am Geriatr Soc* 1997 45:(11)1302-9. [Rec#: 1491]
- Luuksinen H, Koski K, Laippala P, Kivela SL. Predictors for recurrent falls among the home-dwelling elderly. *Scand J Prim Health Care* 1995 13:(4)294-9. [Rec#: 654]
- Luuksinen H, Koski K, Laippala P, Kivela SL. Risk factors for recurrent falls in the elderly in long-term institutional care. *Public Health* 1995 109:(1)57-65. [Rec#: 653]
- MacAvoy S, Skinner T, Hines M. Fall risk assessment tool. *Appl Nurs Res* 1996 9:(4)213-8. [Rec#: 655]
- MacKnight C, Rockwood K. A Hierarchical Assessment of Balance and Mobility. *Age Ageing* 1995 24:(2)126-30. [Rec#: 656]
- MacRae PG, Asplund LA, Schnelle JF, Ouslander JG, Abrahamse A, Morris C. A walking program for nursing home residents: effects on walk endurance, physical activity, mobility, and quality of life. *J Am Geriatr Soc* 1996 44:(2)175-80. [Rec#: 3614]
- Mahoney J, Sager M, Dunham NC, Johnson J. Risk of falls after hospital discharge. *J Am Geriatr Soc* 1994 42:269-274. [Rec#: 2765]

## Rejected Articles

- Mahoney JE. Falls in the elderly: office-based evaluation, prevention, and treatment. Cleve Clin J Med 1999 66:(3)181-9. [Rec#: 1602]
- Mahoney JE. Immobility and falls. Clin Geriatr Med 1998 14:(4)699-726. [Rec#: 1374]
- Mahoney JE, Sager MA, Jalaluddin M. Use of an ambulation assistive device predicts functional decline associated with hospitalization. J Gerontol A Biol Sci Med Sci 1999 54:(2)83-88. [Rec#: 1522]
- Maki BE, Holliday PJ, Topper AK. A prospective study of postural balance and risk of falling in an ambulatory and independent elderly population. J Gerontol 1994 49:M72-84. [Rec#: 2764]
- Maki BE, McIlroy WE. Control of compensatory stepping reactions: age-related impairment and the potential for remedial intervention. Physiother Theory Pract 1999 15:(2)69-92. [Rec#: 1377]
- Malmivaara A, Heliovaara M, Knekt P, Reunanan A, Aromaa A. Risk factors for injurious falls leading to hospitalization or death in a cohort of 19,500 adults. Am J Epidemiol 1993 138:(6)384-94. [Rec#: 657]
- Mayo NE, Korner Bitensky N, Becker R, Georges P. Predicting falls among patients in a rehabilitation hospital. Am J Phys Med Rehabil 1989 68:130-146. [Rec#: 2781]
- McCabe C, Dixon S. Testing the validity of cost-effectiveness models. Pharmacoeconomics 2000 17:(5)501-13. [Rec#: 3097]
- McCabe F. Mind you don't fall. Nurs Mirror 1985 160:(26)S2-6. [Rec#: 557]
- McClung BL. Using osteoporosis management to reduce fractures in elderly women. Nurse Pract 1999 24:(3)26-7, 32, 36. [Rec#: 1400]
- McCollam ME. Evaluation and implementation of a research-based falls assessment innovation. Nurs Clin North Am 1995 30:(3)507-14. [Rec#: 3656]
- McElhinney J, Potts J. Preventing falls among the elderly: Development, initiation and evaluation of a community based education program. J Am Geriatr Soc 1995 43:SA38. [Rec#: 594]
- McEwan RT, Davison N, Forster DP, Pearson P, Stirling E. Screening elderly people in primary care: A randomized controlled trial. Br J Gen Pract 1990 40:(332)94-7. [Rec#: 558]
- McIlroy WE, Maki BE. Age-related changes in compensatory stepping in response to unpredictable perturbations. J Gerontol A Biol Sci Med Sci 1996 51:(6)M289-96. [Rec#: 658]
- McIntosh L, Woronuk J, May L, Whitridge M, Elton Smith G. Development of the Glenrose Ambulation Rating (GAR): validity and inter-rater reliability. J Rehabil Outcomes Meas 1999 3:(3)1-11. [Rec#: 1284]
- McIntosh S, DaCosta D, Kenny RA. Outcome of an integrated approach to the investigation of dizziness, falls, and syncope in elderly patients referred to as "syncope" clinic. Age Ageing 1993 22:53-55. [Rec#: 2025]
- McIntyre A. Elderly fallers: a baseline audit of admissions to a day hospital for elderly people. Br J Occup Ther 1999 62:(6)244-8. [Rec#: 1384]
- McLean D, Lord S. Falling in old people at home: transfer limitations and environmental risk factors. Aust Occup Ther J 1996 43 :13-18. [Rec#: 2026]
- McMurdo ME, Mole PA, Paterson CR. Controlled trial of weight bearing exercise in older women in relation to bone density and falls. BMJ 1997 314:(7080)569. [Rec#: 2911]
- McNeeley E, Clements SD, Wolf SL. A program to reduce frailty in the elderly. In: Funk SG, Tornquist EM, Champagne MT, Weise RA. (eds.) Key aspects of elder care: Managing falls, incontinence, and cognitive impairment. New York: Springer; 1992. p. 89-96. [Rec#: 584]

## Rejected Articles

- Means KM, O'Sullivan PS, Rodel DE. Balance, mobility, and falls among elderly African American women. *Am J Phys Med Rehabil* 2000 79:(1)30-39. [Rec#: 1896]
- Means KM, Rodell DE, O'Sullivan PS. Geriatrics. Performance-based prevention/rehabilitation of falls in elderly veterans. *Rehabil Rd Prog Rep* 1997 34:106. [Rec#: 1324]
- Means KM, Rodell DE, O'Sullivan PS. Obstacle course performance and risk of falling in community-dwelling elderly persons. *Arch Phys Med Rehabil* 1998 76:(12)1570-6. [Rec#: 1295]
- Means KM, Rodell DE, O'Sullivan PS, Winger RM. Comparison of a functional obstacle course with an index of clinical gait and balance and postural sway. *J Gerontol A Biol Sci Med Sci* 1998 53A:(5)M331-5. [Rec#: 1414]
- Meier A. Rehabilitation following falls of indetermined etiology: Results of an intervention study. *Schweiz Rundsch Med Prax* 1992 81:1405-1410. [Rec#: 2028]
- Meiring P. Falls in the elderly. *S Afr Med J* 1986 69 :214-5. [Rec#: 2825]
- Meissner BA. Patient fall prevention. *Nurs Manage* 1988 19:(6)78. [Rec#: 3663]
- Meldrum D, Finn AM. An investigation of balance function in elderly subjects who have and have not fallen. *Physiotherapy* 1993 79:(12)839-842. [Rec#: 712]
- Mendelson WB. The use of sedative/hypnotic medication and its correlation with falling down in the hospital. *Sleep* 1996 19:(9)698-701. [Rec#: 659]
- Menz HB, Lord SR. Footwear and postural stability in older people. *J Am Podiatr Med Assoc* 1999 89:(7)346-57. [Rec#: 1670]
- Meunier PJ, Chapuy MC, Arlot ME, Delmas PD, Duboeuf F. Can we stop bone loss and prevent hip fractures in the elderly? *Osteoporos Int* 1994 4:(Suppl 1)71-6. [Rec#: 561]
- Miceli DL, Waxman H, Cavalieri T, Lage S. Prodromal falls among older nursing home residents. *Appl Nurs Res* 1994 7:(1)18-27. [Rec#: 660]
- Mickelborough J, Liston R, Harris B, Pomeroy VM, Tallis RC. Physiotherapy for higher-level gait disorders associated with cerebral multi-infarcts. *Physiother Theory Pract* 1997 13:(2)127-38. [Rec#: 1325]
- Mihalko S. Strength training in older women: Does self-efficacy mediate improvements in physical function? University of Illinois at Urbana-Champaign. 1997. [Rec #: 1177]
- Miller JM. Perception and psychological effects of falling of elderly people living in the community. University of Illinois at Chicago, Health Sciences Center. 1995. [Rec #: 1448]
- Miller JP, Schechtman K, Province M, et al. Preplanned meta analyses in a clinical trial aimed at reducing frailty and injuries in older persons. *Control Clin Trials* 1991 12:612-630. [Rec#: 2732]
- Mion LC, Gregor S, Buettner M, et al. Falls in the rehabilitation setting: Incidence and characteristics. *Rehabil Nurs* 1989 14 :17-22. [Rec#: 2769]
- Mitchell A, Jones N. Striving to prevent falls in an acute care setting--action to enhance quality. *J Clin Nurs* 1996 5:(4)213-20. [Rec#: 661]
- Mohide EA, Tugwell PX, Caulfield PA, Chambers LW, Dunnett CW, Baptiste S, et al. A randomized trial of quality assurance in nursing homes. *Med Care* 1988 26:(6)554-65. [Rec#: 563]
- Monane M, Avorn J. Medications and Falls. Causation, correlation and convention. *Clin Geriatr Med* 1996 12:847-858. [Rec#: 2785]

## Rejected Articles

- Moore T, Martin J, Stonehouse J. Predicting falls: risk assessment tool versus clinical judgement. Perspectives 1996 20:(1)8-11. [Rec#: 662]
- Morey MC, Pieper CF, Cornoni Huntley J. Physical fitness and functional limitations in community-dwelling older adults. Med Sci Sports Exerc 1998 30:(5)715-23. [Rec#: 1293]
- Morfis L, Schwartz RS, Cistulli PA. REM sleep behaviour disorder: a treatable cause of falls in elderly people. Age Ageing 1997 26 :(1)43-4. [Rec#: 663]
- Moritz DJ, Kelsey JL, Grisso JA. Hospital controls versus community controls: Differences in inferences regarding risk factors for hip fracture. Am J Epidemiol 1997 145:(7)653-60. [Rec#: 1637]
- Morris EV, Isaacs B. The prevention of falls in a geriatric hospital. Age Ageing 1980 9:181-85. [Rec#: 3088]
- Morris JC, Rubin EH, Morris EJ, Mandel SA. Senile dementia of the Alzheimer's type: An important risk factor in falls. J Gerontol 1987 42:412-417. [Rec#: 2756]
- Morris JN, Fries BE, Steel K, Ikegami N, Bernabei R, Carpenter GI, et al. Comprehensive clinical assessment in community setting: applicability of the mds-hc. J Am Geriatr Soc 1997 45:(8). [Rec#: 1548]
- Morrison RS, Chassin MR, Siu AL. The medical consultant's role in caring for patients with hip fracture. Ann Intern Med 1998 128:(12,1)1010-1020. [Rec#: 1646]
- Morse J, Prowse M, Morrow N, Federspeil G. A retrospective analysis of patient falls. Can J Public Health 1985 76: 116. [Rec#: 2826]
- Morse JM, Tylko SJ, Dixon HA. The patient who falls--and falls again: defining the aged at risk. J Gerontol Nurs 1985 11:(11)15-8. [Rec#: 3666]
- Morton D. Five years of fewer falls. Am J Nurs 1989 89:(2)204-5. [Rec#: 565]
- Mosley A, Galindo Ciocon D, Peak N, West MJ. Initiation and evaluation of a research-based fall prevention program. J Nurs Care Qual 1998 13:(2)38-44. [Rec#: 1429]
- Mulrow CD, Gerety MB, Kanten D, DeNino LA, Cornell JE. Effects of physical therapy on functional status of nursing home residents. J Am Geriatr Soc 1993 41:(3)326-8. [Rec#: 462]
- Murdock C, Goldney R, Fisher L, Kent P, Walmsley S. Clinical note. A reduction in repeat falls in a private psychiatric hospital. Aust NZ J Ment Health Nurs 1998 7:(3)111-5. [Rec#: 1452]
- Murphy J, Isaacs B. The post fall syndrome. Gerontology 1982 28:265-270. [Rec#: 2030]
- Mustard CA, Mayer T. Case-control study of exposure to medication and the risk of injurious falls requiring hospitalization among nursing home residents. Am J Epidemiol 1997 145:(8)738-45. [Rec#: 664]
- Myers AH, Baker SP, Van Natta ML, Abbey H, Robinson EG. Risk factors associated with falls and injuries among elderly institutionalized persons. Am J Epidemiol 1991 133:1179-1190. [Rec#: 2029]
- Myers AH, Young Y, Langlois JA. Prevention of falls in the elderly. Bone 1996 18:(1 Suppl )87S-101S. [Rec#: 665]
- Myers AN, Van Natta M, Robinson EG, Baker SP . Can injurious falls be prevented? J Long Term Care Admin 1994 22:(2)26-29,32. [Rec#: 595]
- Nakamura DM, Holm MB, Wilson A. Measures of balance and fear of falling in the elderly: a review. Phys Occup Ther Geriatr 1998 15:(4)17-32. [Rec#: 1292]
- Nelson DE, Sattin RW, Langolis JA, et al. Alcohol as a risk factor for fall injury events among elderly persons living in the community. J Am Geriatr Soc 1992 40:658-661. [Rec#: 2031]

## Rejected Articles

- Neufeld RR, Tideiksaar R, Yew E, Brooks F, Young J, Browne G, et al. A multidisciplinary falls consultation service in a nursing home . *Gerontologist* 1991 31:(1)120-3. [Rec#: 2506]
- Nevitt MC. Ascertainment and description of falls among older persons by self-report. In: Weindruch R, Hadley EX, Ory M. (Eds) Reducing Falls and Frailty in Older Persons. New York, NY: Charles C Thomas; 1991. p. 476-495. [Rec#: 2032]
- Nevitt MC, Cummings SR. Type of fall and risk of hip and wrist fractures: the study of osteoporotic fractures. The Study of Osteoporotic Fractures Research Group. *J Am Geriatr Soc* 1993 41:(11)1226-34. [Rec#: 1683]
- Nevitt MC, Cummings SR, Hudes ES. Risk factors for injurious falls: A prospective study. *J Gerontol* 1991 46:164-170. [Rec#: 2033]
- Nevitt MC, Cummings SR, Kidd S, Black D. Risk factors for recurrent non-syncopal falls: A prospective study. *JAMA* 1989 261:2663-2668. [Rec#: 2034]
- Newbury J, Marley J. Preventive home visits to elderly people in the community. Visits are most useful for people aged >/= 75. *BMJ* 2000 321:(7259)512; discussion 513. [Rec#: 3623]
- Nicholl JP, Coleman P, Brazier JE. Health and healthcare costs and benefits of exercise. *Pharmacoconomics* 1994 5:109-122. [Rec#: 2743]
- Nichols AW. Moderate exercise improves stability in elders. *Phys Sportsmed* 1999 27:(11)16-28. [Rec#: 1567]
- Nicholson CM, Czernwicz S, Mandilas G, Rudolph I, Greylung MJ. The role of chair exercises for older adults following hip fracture. *S Afr Med J* 1997 87:(9)1131-1138. [Rec#: 1540]
- Nickens H. Intrinsic factors in falling among the elderly. *Arch Intern Med* 1985 145:1089-1093. [Rec#: 2035]
- Noble LJ, Salcido R, Walker MK, Atchinson J, Marshall R. Improving functional mobility through exercise. *Rehabil Nurs Res* 1994 3:(1)23-9. [Rec#: 596]
- Nordt WE, Sachatello SA, Plotkin ES, Dintino K. The effects of single-axis balance board intervention on balance parameters in the elderly. *Am J Orthop* 1999 28:(8)447-50. [Rec#: 1588]
- Northridge ME, Nevitt MC, Kelsey JL, Link B. Home hazards and falls in the elderly: the role of health and functional status. *Am J Public Health* 1995 85:(4)509-15. [Rec#: 666]
- Norton R. Preventing falls and fall-related injuries among older-people. *Austral J A* 1999 18:(4)160-166. [Rec#: 1704]
- Norton R, Campbell AJ, Lee Joe T, Robinson E, Butler M. Circumstances of falls resulting in hip fractures among older people. *J Am Geriatr Soc* 1997 45:(9)1108-12. [Rec#: 1492]
- Nyberg L, Gustafson Y. Using the Downton index to predict those prone to falls in stroke rehabilitation. *Stroke* 1996 27:(10)1821-4. [Rec#: 667]
- Nygaard HA. Falls and psychotropic drug consumption in long-term care residents: is there an obvious association? *Gerontology* 1998 44:(1)46-50. [Rec#: 668]
- O'Brien K, Culham E, Pickles B. Balance and skeletal alignment in a group of elderly female fallers and nonfallers. *J Gerontol A Biol Sci Med Sci* 1997 52A:(4)B221-6. [Rec#: 1467]
- O'Brien K, Pickles B, Culham E. Clinical measures of balance in community-dwelling elderly female fallers and non-fallers. *Physiother Can* 1998 50:(3)212-7, 221. [Rec#: 1457]
- O'Loughlin JL, Robitaille Y, Boivin JF, Suissa S. Incidence of and risk factors for falls and injurious falls among the community-dwelling elderly. *Am J Epidemiol* 1993 137:(3)342-54. [Rec#: 669]

## Rejected Articles

- O'Mahony D, Foote C. Prospective evaluation of unexplained syncope, dizziness, and falls among community-dwelling elderly adults. *J Gerontol A Biol Sci Med Sci* 1998 53A:(6)M435-40. [Rec#: 1413]
- Oakley AE, France Dawson M, Holland J, Arnold S, Cryer C, Doyle Y, et al. Preventing falls and subsequent injury in older people. *Qual Health Care* 1996 5:243-9. [Rec#: 604]
- Obonyo T, Drummond M, Isaacs B. Domiciliary physiotherapy for old people who have fallen. *Int Rehabil Med* 1983 5:(4)157-60. [Rec#: 568]
- Oliver D, Britton M, Seed P, Martin FC, Hopper AH. Development and evaluation of evidence based risk assessment tool (STRATIFY) to predict which elderly inpatients will fall: case-control and cohort studies. *BMJ* 1997 315:(7115)1049-53. [Rec#: 1485]
- Oliver D, Hopper A, Seed P. Do hospital fall prevention programs work? A systematic review. *J Am Geriatr Soc* 2000 48:(12)1679-89. [Rec#: 3104]
- Ory MG, Schechtman KB, Miller JP, Hadley EC, Fiatarone MA, Province MA, et al. Frailty and injuries in later life: The FICSIT trials. *J Am Geriatr Soc* 1993 41:(3)283-96. [Rec#: 484]
- Oster P, Hauer K, Specht N, Rost B, Baertsch P, Schlierf G. Muscle strength and coordination training for prevention of falls in elderly patients: <ORIGINAL> KRAFT- UND KOORDINATIONSTRAINING ZUR STURZPRÄVENTION IM ALTER. *Z Gerontol Geriatr* 1997 30:(4)289-292. [Rec#: 1584]
- Oster P, Hauer K, Specht N, Rost B, Baertsch P, Schlierf G. Muscle strength and coordination training for prevention of falls in elderly patients. *Zeitschrift* 1997 30:(4). [Rec#: 716]
- Oster P, Hauer K, Specht N, Rost B, Baertsch P, Schlierf G. [Strength and coordination training for prevention of falls in the elderly]. *Z Gerontol Geriatr* 1997 30:(4)289-92. [Rec#: 1208]
- Overstall PW. Prevention of falls in the elderly. *J Am Geriatr Soc* 1980 28:(11)481-4. [Rec#: 569 ]
- Owings TM, et al. Exercise: Is it a solution to falls by older adults? *J Appl Biomech* 1999 15:56-63. [Rec#: 2536]
- Pacala JT, Judge JO, Boult C. Factors affecting sample selection in a randomized trial of balance enhancement: The FICSIT Study. *J Am Geriatr Soc* 1996 44:(4)377-82. [Rec#: 480]
- Parker MJ, Twemlow TR, Pryor GA. Environmental hazards and hip fractures. *Age Ageing* 1996 25:(4)322-5. [Rec#: 670]
- Pasqua S. Fall programs that work. *Contemp Longterm Care* 1996 19:(4)50-2, 54, 56. [Rec#: 671]
- Pathy MS, Bayer A, Harding K, Dibble A. Randomised trial of case finding and surveillance of elderly people at home. *Lancet* 1992 340:(8824)890-3. [Rec#: 570]
- Patrick L, Leber M, Scrim C, Gendron I, Eisener Parsche P. Interdisciplinary care. A standardized assessment and intervention protocol for managing risk for falls on a geriatric rehabilitation unit. *J Gerontol Nurs* 1999 25:(4)40-7. [Rec#: 1418]
- Pavlov PW, Ginsburg J, Kicovic PM, Van Der Schaaf DB, Prelevic G, Bennink H. Double-blind, placebo-controlled study of the effects of tibolone on bone mineral density in postmenopausal osteoporotic women with and without previous fractures. *Gynecol Endocrinol* 1999 13:(4)230-237. [Rec#: 1507]
- Perkowski LC, Stroup Benham CA, Markides KS, Lichtenstein MJ, Angel RJ, Guralnik JM, et al. Lower-extremity functioning in older Mexican Americans and its association with medical problems. *J Am Geriatr Soc* 1998 46:(4)411-8. [Rec#: 672]
- Perle SM, Mutell DB, Romanelli R. Age-related changes in skeletal muscle strength and modifications through exercise: A literature review. *J Sports Chiro Rehab* 1997 11:(3)97-103. [Rec#: 1648]

## Rejected Articles

- Perlin E. Preventing falls in the elderly. A practical approach to a common problem. Postgrad Med 1992 91:(8)237-8, 241, 244. [Rec#: 2508]
- Perrin PP, Gauchard GC, Perrot C, Jeandel C. Effects of physical and sporting activities on balance control in elderly people. Br J Sports Med 1999 32:(2)121-6. [Rec#: 1389]
- Perry BC. Falls among the elderly: a review of the methods and conclusions of epidemiologic studies. J Am Geriatr Soc 1982 30:(6)367-71. [Rec#: 2849]
- Perry BC. Falls among the elderly living in high-rise apartments. J Fam Pract 1982 14:10069-1073. [Rec#: 2760]
- Peterson E, Howland J, Kielhofner G, Lachman ME, Assmann S, Cote J, et al. Falls self-efficacy and occupational adaptation among elders. Phys Occup Ther Geriatr 1999 16:(1-2 )1-16. [Rec#: 1574]
- Petrella RJ, Lattanzio PJ, Nelson MG. Effect of age and activity on knee joint proprioception. Am J Phys Med Rehabil 1997 76 :(3)235-41. [Rec#: 1201]
- Piotrowski A, Cole J. Clinical measures of balance and functional assessment in elderly persons. Aust Physiotherapy 1994 40:(3)183-188. [Rec#: 713]
- Plati C, Lanara V, Mantas J. Risk factors responsible for patients' falls. Scand J Caring Sci 1992 6:113-118. [Rec#: 2773]
- Plautz B, Beck DE, Selmar C, Radetsky M. Modifying the environment: A community-based injury-reduction program for elderly residents. Am J Prev Med 1996 12:(4 Suppl)33-8. [Rec#: 571]
- Pollock CL. Breaking the risk of falls: An exercise benefit for older patients. Phys Sportsmed 1992 20:(11). [Rec#: 2538]
- Porter EJ. 'Getting up from here': frail older women's experiences after falling... including commentary by Heard LC. Rehabil Nurs 1999 24:(5)201-6, 211, 226. [Rec#: 1368]
- Potvin A, Syndulko K, Tourtellotte W, Lemmon J, Potvin J. Human neurologic function and the aging process. J Am Geriatr Soc 1980 28 :(1)1-9. [Rec#: 2813]
- Poulstrup A, Jeune B. Prevention of fall injuries requiring hospital treatment among community-dwelling elderly. Eur J Public Health 2000 10:45-50. [Rec#: 2818]
- Prosser L, Canby A. Further validation of the Elderly Mobility Scale for measurement of mobility of hospitalized elderly people. Clin Rehabil 1997 11:(4)338-43. [Rec#: 1626]
- Province MA, Hadley EC, Hornbrook MC, Lipsitz LA, Miller JP, Mulrow CD, et al. The effects of exercise on falls in elderly patients. A preplanned meta-analysis of the FICSIT Trials. Frailty and Injuries: Cooperative Studies of Intervention Techniques. JAMA 1995 273:(17)1341-7. [Rec#: 473]
- Prudham D, Evans JG. Factors associated with falls in the elderly: A community study. Age Ageing 1981 10:141-146. [Rec#: 2037]
- Quail GG. An approach to the assessment of falls in the elderly. Aust Fam Physician 1994 23:(5 )873, 876-82. [Rec#: 674]
- Rainville NG. Effect of an implemented fall prevention program on the frequency of patient falls. QRB Qual Rev Bull 1984 10:(9)287-91. [Rec#: 574]
- Rapport LJ, Hanks RA, Millis SR, Deshpande SA. Executive functioning and predictors of falls in the rehabilitation setting. Arch Phys Med Rehabil 1998 79:(6)629-33. [Rec#: 675]
- Rawsky E. Review of the literature on falls among the elderly. Image J Nurs Sch 1998 30:(1)47-52. [Rec#: 3103]

## Rejected Articles

- Ray WA, Griffin MR, Downey W. Benzodiazepines of long and short elimination half-life and the risk of hip fracture. JAMA 1989 262:(23)3303-7. [Rec#: 1690]
- Ray WA, Griffin MR, Malcolm E. Cyclic antidepressants and the risk of hip fracture. Arch Intern Med 1991 151:(4)754-6. [Rec#: 1688]
- Ray WA, Griffin MR, Schaffner W, Baugh DK, Melton LJ. Psychotropic drug use and the risk of hip fracture. N Engl J Med 1987 316:(7)363-9. [Rec#: 1692]
- Resnick B. Falls in a community of older adults: putting research into practice. Clin Nurs Res 1999 8:(3)251-66. [Rec#: 1286]
- Resnick B. Motivation to perform activities of daily living in the institutionalized older adult: can a leopard change its spots? J Adv Nurs 1999 29:(4)792-9. [Rec#: 1299]
- Retsas AP. Survey findings describing the use of physical restraints in nursing homes in Victoria, Australia. Int J Nurs Stud 1998 35:(3)184-91. [Rec#: 1475]
- Reuben DB, Borok GM, Wolde Tsadik G, Ershoff DH, Fishman LK, Ambrosini VL, et al. A randomized trial of comprehensive geriatric assessment in the care of hospitalized patients. N Engl J Med 1995 332:(20)1345-50. [Rec#: 575]
- Reuben DB, Frank JC, Hirsch SH, McGuigan KA, Maly RC. A randomized clinical trial of outpatient comprehensive geriatric assessment coupled with an intervention to increase adherence to recommendations. J Am Geriatr Soc 1999 47:(3)269-276. [Rec#: 1519]
- Reuben DB, Frank JC, Hirsch SH, McGuigan KA, Maly RC. A randomized clinical trial of outpatient comprehensive geriatric assessment coupled with an intervention to increase adherence to recommendations. J Am Geriatr Soc 1999 47:(3)269-76. [Rec#: 1603]
- Reuben DB, Maly RC, Hirsch SH, Frank JC, Oakes AM, Siu AL, et al. Physician implementation of and patient adherence to recommendations from comprehensive geriatric assessment. Am J Med 1996 100:(4)444-51. [Rec#: 1217]
- Reynolds BJ, Garrett CJ. Elderly exercise: Relationship to ambulatory function, fall behavior, and well-being. In: Funk SG, Tornquist EM, Champagne MT, Weise RA. (Eds.) Key aspects of elder care: Managing falls, incontinence, and cognitive impairment. New York: Springer; 1992. p. 104-9. [Rec#: 597]
- Rhymes J, Jaeger R. Falls: Prevention and management in the institutional setting. Clinics Geriatr Med 1988 4:613-622. [Rec#: 2038]
- Richardson DA, Bexton RS, Shaw FE, Kenny RA. Prevalence of cardioinhibitory carotid sinus hypersensitivity in patients 50 years or over presenting to the accident and emergency department with "unexplained" or "recurrent" falls. Pacing Clin Electrophysiol 1997 20:(3,2). [Rec#: 1559]
- Rietz S, Hagel K. Falls leading to injuries in old people: pathogenesis and rehabilitation outcome. Rehabilitation Stuttg 1999 38 :(1)16-9. [Rec#: 1406]
- Riggs JE. Mortality from accidental falls among the elderly in the United States, 1962-1988: demonstrating the impact of improved trauma management. J Trauma 1993 35:(2)212-9. [Rec#: 676]
- Rigler SK. Clinical experience. Preventing falls in older adults. Hosp Pract 1999 34:(8)117-20. [Rec#: 1371]
- Ringsberg K, Gerdhem P, Johansson J, Obrant KJ. Is there a relationship between balance, gait performance and muscular strength in 75-year-old women? Age Ageing 1999 28:(3 )289-293. [Rec#: 1514]
- Robbins AS, Rubenstein LZ, Josephson KR, et al. Predictors of falls among elderly people: Results of two population-based studies. Arch Intern Med 1989 149:1628-1633. [Rec#: 2039]

## Rejected Articles

- Robbins S, Gouw GJ, McClaran J. Shoe sole thickness and hardness influence balance in older men. *J Am Geriatr Soc* 1992 40 : (1)1089-94. [Rec#: 452]
- Robbins S, Waked E, Allard P, McClaran J, Krouglicof N. Foot position awareness in younger and older men: The influence of footwear sole properties. *J Am Geriatr Soc* 1997 45:(1)61-6. [Rec#: 1644]
- Roberts BL. Effects of walking on balance among elders. *Nurs Res* 1989 38:(3)180-2. [Rec#: 677 ]
- Roberts BL. Effects of walking on reaction and movement times among elders. *Percept Mot Skills* 1990 71:(1)131-40. [Rec#: 2510]
- Roberts J, Payne V, Dale J, Northover D, Simmons L, de Foneska C. The HEC's home accident study. *Health Ed J* 1974 33:2-3. [Rec#: 2814]
- Robertson MC, Campbell AJ, Gardner MM, Devlin N. Preventing injuries in older people by preventing falls: a meta-analysis of individual-level data. *J Am Geriatr Soc* 2002 50:(5)905-11. [Rec#: 3671]
- Robertson MC, Gardner MM, Devlin N, McGee R, Campbell AJ. Effectiveness and economic evaluation of a nurse delivered home exercise programme to prevent falls. 2: Controlled trial in multiple centres. *BMJ* 2001b 322:701-704. [Rec#: 3261]
- Robinovitch SN, Hayes WC, McMahon TA. Energy-shunting hip padding system attenuates femoral impact force in a simulated fall. *J Biomech Eng* 1995 117:(4)409-13. [Rec#: 678]
- Rodriguez JG, Baughman AL, Sattin RW, DeVito CA, Ragland DL, Bacchelli S, et al. A standardized instrument to assess hazards for falls in the home of older persons. *Accid Anal Prev* 1995 27:(5)625-31. [Rec#: 679]
- Rodstein M. Accidents among the aged: Incidence, causes and prevention. *J Chronic Disability* 1964 17:515-26. [Rec#: 2815]
- Rogers PD, Bocchino NL. Restraint-free care: is it possible? *Am J Nurs* 1999 99:(10)26-34. [Rec#: 1367]
- Rogers S. Reducing falls in a rehabilitation setting: a safer environment through team effort. *Rehabil Nurs* 1994 19:(5)274-6. [Rec#: 3658]
- Rose DJ, Clark S. Can the control of bodily orientation be significantly improved in a group of older adults with a history of falls? *J Am Geriatr Soc* 2000 48:(3)275-82. [Rec#: 2522]
- Ross JER, Maas ML, Huston JC, Kundel CJ, Woodward PJ, Gyldenvard TA, et al. Evaluation of two interventions to reduce falls and fall injuries: The challenge of hip pads and individualised elimination rounds. In: Funk SG, Tornquist EM, Champagne MT, Weise RA. (Eds.) Key aspects of elder care: Managing falls, incontinence, and cognitive impairment. New York: Springer; 1992. p. 97-103. [Rec#: 602]
- Rubenstein L, Robbins A. Falls in the elderly: A clinical perspective. *Geriatrics* 1984 39:(4 )67-78. [Rec#: 2827]
- Rubenstein L, Robbins A, Josephson K, Tureblood P, Wallis RA, Loy S. Effects of an exercise intervention on fall-prone elderly men. *J Am Geriatr Soc* 1994 149:(suppl)SA5. [Rec#: 2040]
- Rubenstein LA, Robbins AS, Schulman BL, et al . Falls and instability in the elderly. *J Am Geriatr Soc* 1988 36:266-278. [Rec#: 2041]
- Rubenstein LZ. Hip protectors - A breakthrough in fracture prevention. *N Engl J Med* 2000 343:(21)1562. [Rec#: 3090]
- Rubenstein LZ, Josephson KR, Osterweil D. Falls and fall prevention in the nursing home. *Clin Geriatric Med* 1996 12:(4)881-902. [Rec#: 3670]
- Rubenstein LZ, Josephson KR, Robbins AS. Falls in the nursing home. *Ann Intern Med* 1994 121(6):442-51. [Rec#: 2841]

## Rejected Articles

- Rubenstein LZ, Josephson KR, Trueblood PR, et al. Effects of a group exercise program on strength, mobility, and falls among fall-prone elderly men. *J Gerontol* 2000 55A:(6)M317-M321. [Rec#: 2576]
- Rubenstein LZ, Nahas R. Primary and secondary prevention strategies in the older adult. *Geriatr Nurs* 1998 19:(1)11-8, 28. [Rec#: 1344]
- Rubino FA. Gait disorders in the elderly. Distinguishing between normal and dysfunctional gaits. *Postgrad Med* 1993 93:(6)185-90. [Rec#: 680]
- Rush KL, Ouellet LL. An analysis of elderly clients' views of mobility... including commentary by Hautman MA. *West J Nurs Res* 1998 20:(3)295-311. [Rec#: 1334]
- Ruthazer R, Lipsitz LA. Antidepressants and falls among elderly people in long-term care. *Am J Public Health* 1993 83:(5)746-9. [Rec#: 1685]
- Ryynanen OP. Health, functional capacity, health behavior, psychosocial factors and falling in old age. *Public Health* 1994 108:99-110. [Rec#: 2042]
- Ryynanen OP, Kivela SL, Honkanen R, et al. Incidence of falling injuries leading to medical treatment in the elderly. *Public Health* 1991 105:373-386. [Rec#: 2043]
- Ryynanen OP, Kivela SL, Honkanen R, et al. Medications and chronic diseases as risk factors for falling injuries in the elderly. *Scand J Soc Med* 1993 21:264-271. [Rec#: 2755]
- Ryynanen OP, Kivela SL, Honkanen R, Laippala P. Recurrent elderly fallers. *Scand J Prim Care* 1992 10:277-283. [Rec#: 2044]
- Sabelman EE, Winograd CH, Troy B, Kenney D, Gabrielli SD, Jaffe D, et al. Geriatrics. Upper body motion analysis for amelioration of falls in the elderly. *Rehabil Rd Prog Rep* 1997 34:107. [Rec#: 1455]
- Sabelman EE, Winograd CH, Troy B, Kenney D, Gabrielli SD, Jaffe D, et al. Reliability and validity of accelerometric gait and balance. *Rehabilitation R & D Progress Reports* 1997 101. [Rec#: 1716]
- Sabick MB. The effects of fall direction and protective responses on the likelihood of hip fracture in falls. University of Iowa . 1997. [Rec #: 1193]
- Sabick MB, Hay JG, Goel VK, Banks SA. Active responses decrease impact forces at the hip and shoulder in falls to the side. *J Biomech* 1999 32:(9)993-8. [Rec#: 1589]
- Salgado R, Lord SR, Packer J, Ehrlich F. Factors associated with falling in elderly hospital patients. *Gerontology* 1994 40:325-331. [Rec#: 2771]
- Sato Y, Manabe S, Kuno H, Oizumi K. Amelioration of osteopenia and hypovitaminosis D by 1alpha-hydroxyvitamin D3 in elderly patients with Parkinson's disease. *J Neurol Neurosurg Psychiatry* 1999 66:(1)64-8. [Rec#: 3606]
- Sattin RW. Falls among older persons: A public health perspective. *Annu Rev Public Health* 1992 13:489-508. [Rec#: 2045]
- Sattin RW. Preventing injurious falls. *Lancet* 1997 349:(9046)150. [Rec#: 482]
- Sattin RW, Rodriguez JG, DeVito CA, Wingo PA . Home environmental hazards and the risk of fall injury events among community-dwelling older persons. Study to Assess Falls Among the Elderly (SAFE) Group. *J Am Geriatr Soc* 1998 46:(6)669-76. [Rec#: 682]
- Schmid NA. Reducing patient falls: A research-based comprehensive fall prevention program. *Mil Med* 1990 155:202-207. [Rec#: 2046]

## Rejected Articles

- Schmid NA. Reducing patient falls: A research-based comprehensive fall prevention program. *Mil Med* 1990 155:(5)202-7. [Rec#: 454]
- Schnelle JF, Mac Rae PG, Simmons SF, Uman G, Ouslander JG, Rosenquist LL, et al. Safety assessment for the frail elderly: A comparison of restrained and unrestrained nursing home residents. *J Am Geriatr Soc* 1994 42:(6)586-92. [Rec#: 455]
- Schoenfelder DP, Van Why K. A fall prevention educational program for community dwelling seniors. *Public Health Nurs* 1997 14 :(6)383-90. [Rec#: 683]
- Schwab M, Roder F, Morike K, Thon K, Klotz U, Ell S. Prevention of falls in elderly people... "Prevention of falls in the elderly trial (PROFET): a randomised controlled trial", 1999; 353: 93-97. *Lancet* 1999 353:(9156)928-9. [Rec#: 1294]
- Schwab M, Roder F, Morike K, Thon KP, Klotz U. Prevention of falls in elderly people. *Lancet* 1999 353:(9156)928. [Rec#: 3105]
- Schwab M, Roder F, Morike K, Thon KP, Klotz U, Ell S. Prevention of falls in elderly people (multiple letters) [4]. *Lancet* 1999 353:(9156)928-929. [Rec#: 1570]
- Schwartz AV, Kelsey JL, Sidney S, Grisso JA. Characteristics of falls and risk of hip fracture in elderly men. *Osteoporos Int* 1998 8:(3)240-246. [Rec#: 1759]
- Schwendimann R. Frequency and circumstances of falls in acute care hospitals: a pilot study [German]. *Pflege* 1998 11:(6)335-41. [Rec#: 1310]
- Schwendner KI, Mikesky AE, Holt WSJr, Peacock M, Burr DB. Differences in muscle endurance and recovery between fallers and nonfallers, and between young and older women. *J Gerontol A Biol Sci Med Sci* 1997 52A:(3)M155-60. [Rec#: 1483]
- Seeley DG, Cauley JA, Grady D, Browner WS, Nevitt MC, Cummings SR. Is postmenopausal estrogen therapy associated with neuromuscular function or falling in elderly women? Study of Osteoporotic Fractures Research Group. *Arch Intern Med* 1995 155:(3)293-9. [Rec#: 456]
- Sehested P, Severin-Nielsen T. Falls by hospitalized elderly patients: causes, prevention. *Geriatrics* 1977 32:(4)101-108. [Rec#: 2828]
- Selma TP, Schwartz A, Koch H, Nelson C. Health data on older Americans: Patterns of drug prescribing. *Vital Health Stat* 3 1993 27 :187-207. [Rec#: 2748]
- Shanks JE, Blanks RHI, Fowler CG. Optokinetic testing for diagnosis and rehabilitation of balance disorders. *Rehabil Rd Prog Rep* 1997 34:323-4. [Rec#: 1322]
- Shaw JM, Snow CM. Weighted vest exercise improves indices of fall risk in older women. *J Gerontol A Biol Sci Med Sci* 1998 53A:(1)M53-8. [Rec#: 1430]
- Sheahan SL, Coons SJ, Robbins CA, Martin SS, Hendricks J, Latimer M. Psychoactive medication, alcohol use, and falls among older adults. *J Behav Med* 1995 18:(2)127-40. [Rec#: 684]
- Sherrington C, Lord SR. Increased prevalence of fall risk factors in older people following hip fracture. *Gerontology* 1998 44:(6)340-4. [Rec#: 1612]
- Shih J. Basic Beijing twenty-four forms of T'ai Chi exercise and average velocity of sway. *Percept Mot Skills* 1997 84:(1)287-90. [Rec#: 685]
- Shumway-Cook A, Anson D, Haller S. Postural sway biofeedback: its effect on reestablishing stance stability in hemiplegic patients. *Arch Phys Med Rehabil* 1988 69:(6)395-400. [Rec#: 2528]

## Rejected Articles

- Shumway Cook A, Baldwin M, Polissar NL, Gruber W. Predicting the probability for falls in community-dwelling older adults. *Phys Ther* 1997 77:(8)812-9. [Rec#: 686]
- Shumway Cook A, Gruber W, Baldwin M, Liao S. The effect of multidimensional exercises on balance, mobility, and fall risk in community-dwelling older adults. *Phys Ther* 1997 77:(1)46-57. [Rec#: 458]
- Shumway Cook A, Woollacott M, Kerns KA, Baldwin M. The effects of two types of cognitive tasks on postural stability in older adults with and without a history of falls. *J Gerontol A Biol Sci Med Sci* 1997 52 :(4)M232-40. [Rec#: 687]
- Shupert CL, Horak FB. Adaptation of postural control in normal and pathologic aging: Implications for fall prevention programs. *J Appl Biomech* 1999 15:64-74. [Rec#: 2539]
- Simonsick EM, Guralnik JM, Fried LP. Who walks? Factors associated with walking behavior in disabled older women with and without self-reported walking difficulty. *J Am Geriatr Soc* 1999 47:(6)672-680. [Rec#: 1513]
- Simpson JM, Harrington R, Marsh N. Guidelines for managing falls among elderly people. *Physiotherapy* 1998 84:(4)173-7. [Rec#: 1337]
- Simpson JM, Marsh N, Harrington R. Guidelines for managing falls among elderly people. *Br J Occup Ther* 1998 61:(4)165-8. [Rec#: 1339]
- Simpson JM, Salkin S. Are elderly people at risk of falling taught how to get up again? *Age Ageing* 1993 22:(4)294-6. [Rec#: 688]
- Simpson JM, Worsfold CW, Fisher K, Hastie I. Concern about falling among elderly people. In: Andrews GR, Mykyta LJ, Andrews MM, Pearson SA, Gregory JA, Happer JC. (eds) *Aging beyond 2000: One world one future.* Adelaide, South Australia: Abstracts of World Congress of Gerontology; 1997. p. 271. [Rec#: 2822]
- Sjorgen H, Bjornstig U. Injuries among the elderly in the home environment. *J Aging Health* 1991 3:107-125. [Rec#: 2720]
- Skelton DA, Dinan SM. Exercise for falls management: rationale for an exercise programme aimed at reducing postural instability. *Physiother Theory Pract* 1999 15:(2)105-20. [Rec#: 1281]
- Smith CE. Preventing falls in the elderly. *Am Fam Phys* 1998 57:(7)1497-8. [Rec#: 1447]
- Smith EL, Tommerup L. Exercise - A prevention and treatment for osteoporosis and injurious falls in the older adult. *J Aging Phys Activity* 1995 3:(2)178-92. [Rec#: 598]
- Smith RD, Widiatmoko D. The cost-effectiveness of home assessment and modification to reduce falls in the elderly. *Aust NZ J Public Health* 1998 22:(4)436-40. [Rec#: 1616]
- Smithson F, Morris ME, Iansek R. Performance on clinical tests of balance in Parkinson's disease. *Phys Ther* 1998 78:(6)577-92. [Rec#: 1499]
- Snow CM. Exercise effects on falls in frail elderly: Focus on strength. *J Appl Biomech* 1999 15:(1)84-91. [Rec#: 1571]
- Sobel KG, McCart GM. Drug use and accidental falls in an intermediate care facility. *Drug Intell Clin Pharm* 1983 17:539-543. [Rec#: 2778]
- Sommers-Turlings JMSJG, Crebolder HFJM, Beusamns GHMI, Bal RM. Het vallen van ouderen: een exploratieve studie in de huisartspraktijk [Falls by the elderly: An exploratory study in general practice]. *Huisarts Wet* 1992 35:57-60. [Rec#: 2047]
- Sorock GS. A case control study of falling incidents among the hospitalized elderly. *J Safety Res* 1983 14:47-52. [Rec#: 2767]
- Sorock GS. Falls among the elderly: Epidemiology and prevention. *Am J Prev Med* 1988 4:282-288. [Rec#: 2050]

## Rejected Articles

- Sorock GS, Bush TL, Golden AL, Fried LP, Bruer B, Hale WE. Physical activity and fracture risk in a free-living elderly cohort. *J Gerontol A Biol Sci Med Sci* 1988 43:M134-M139. [Rec#: 2724]
- Sorock GS, Labiner DM. Peripheral neuromuscular dysfunction and falls in an elderly cohort. *Am J Epidemiol* 1992 136:584-591. [Rec#: 2048]
- Sorock GS, Shimkin EE. Benodiazepine sedatives and the risk of falling in a community-dwelling elderly cohort. *Arch Intern Med* 1988 148:2441-2444. [Rec#: 2049]
- Sowden A, Sheldon T, Pehl L, Eastwood A, Glenny AM, Long A. Preventing falls and subsequent injury in older people. *Eff Health Care* 1996 2:1-6. [Rec#: 2745]
- Spar JE, La Rue A, Hewes C, Fairbanks L. Multivariate prediction of falls in elderly inpatients. *Int J Geriatr Psychiatry* 1987 2:185-188. [Rec#: 2766]
- Speechley M, et al. Assessment of risk and prevention of falls among elderly persons: Role of the physiotherapist. *Physiotherapy Canada* 1990 42:(2). [Rec#: 2540]
- Speechley M, Tinetti ME. Falls and injuries in frail and vigorous community elderly persons. *J Am Geriatr Soc* 1991 39:46-52. [Rec#: 2051]
- Spellbring AM. Assessing elderly patients at high risk for falls: a reliability study. *J Nurs Care Qual* 1992 6:(3)30-5. [Rec#: 689]
- Speltz DE, McCausland M, Neumann C, McDonald PE. A risk/falls program. *Health Matrix* 1987 5:34-9. [Rec#: 599]
- St Pierre J. Functional decline in hospitalized elders: preventive nursing measures. *AACN Clin Issues Adv Pract Acute Crit Care* 1998 9:(1)109-18. [Rec#: 1347]
- Stalenhoef PA, Crebolder H, Knottnerus A, Van Der Horst F. Incidence, risk factors and consequences of falls among elderly subjects living in the community: A criteria-based analysis. *Eur J Public Health* 1997 7:328-334. [Rec#: 714]
- Stalenhoef PA, Diederiks JPM, De Witte LP, Schirricke KH, Crebolder Hfjm. Impact of gait problems and falls on functioning in independent living persons of 55 years and over: a community survey. *Patient Educ Couns* 1999 36:(1)23-31. [Rec#: 1528]
- Stancliff BL. OT makes "living safely" easy for elderly persons. *OT Pract* 1998 3:(8)11, 13-5. [Rec#: 1461]
- Steckler A. A pilot study: Home safety education for the elderly. *Int J Health Ed* 1973 16:(2)136-141. [Rec#: 2829]
- Stegman M. Falls among elderly hypertensives: Are they iatrogenic? *Gerontology* 1983 29:339-406. [Rec#: 2774]
- Stein MS, Wark JD, Scherer SC, Walton SL, Chick P, Di Carlantonio M, et al. Falls relate to vitamin D and parathyroid hormone in an Australian nursing home and hostel. *J Am Geriatr Soc* 1999 47:(10)1195-201. [Rec#: 1669]
- Steinberg M, Lyketsos CG, Steele C, Baker L, Brandt J, Baker A. Falls in the institutionalized elderly with dementia: a pilot study. *Ann Long Term Care* 1998 6:(5)153-62. [Rec#: 1436]
- Steinmetz HM, Hobson SJ. Prevention of falls among the community-dwelling elderly: An overview. *Phys Occup Ther Geriatr* 1994 12:(4)13-29. [Rec#: 715]
- Stevens JA. The association of calcium intake and exercise with hip fracture risk among older adults. Emory University. 1997. [Rec #: 1194]
- Stevens JA, Powell KE, Smith SM, Wingo PA, Sattin RW. Physical activity, functional limitations, and the risk of fall-related fractures in community-dwelling elderly. *Ann Epidemiol* 1997 7:(1)54-61. [Rec#: 690]

## Rejected Articles

- Stevens VJ, Hornbrook MC, Wingfield DJ, et al . Recruitment and intervention for a falls prevention project: The study of accidental falls in the elderly. In: Weindruch R, Hadley EC, Ory MG. Reducing Frailty and Falls in Older Persons. Springfield, IL: Charles C. Thomas; 1991. p. 277-292. [Rec#: 2052]
- Stevens VJ, Hornbrook MC, Wingfield DJ, Hollis JF. Design and implementation of a falls prevention intervention for community-dwelling older persons. *Behavior, Health, and Aging* 1991 2:57-73. [Rec#: 579]
- Stevenson B, Mills EM, Welin L, Beal KG. Falls risk factors in an acute-care setting: a retrospective study. *Can J Nurs Res* 1998 30 :(1)97-111. [Rec#: 1495]
- Stewart RB, Moore MT, May FE, Marks RG, Hale WE. Nocturia: A risk for falls in the elderly. *J Am Geriatr Soc* 1992 40:1217-1220. [Rec#: 2054]
- Stokes EK, Finn AM, Kirkham RJR, Walsh JB, Coakley D. The 'balance meter': investigation of an apparatus to measure postural sway. *Health Care Later Life* 1998 3:(3)212-25. [Rec#: 1444]
- Studenski S, Duncan PW, Chandler J. Postural response and effector factors in persons with unexplained falls: Results and methodologic issues. *J Am Geriatr Soc* 1991 39:229-234. [Rec#: 2055]
- Studenski S, Duncan PW, Chandler J, Samsa G, Prescott B, Hogue C, et al. Predicting falls: the role of mobility and nonphysical factors. *J Am Geriatr Soc* 1994 42:(3)297-302. [Rec#: 1682]
- Sullivan Marx EM, Strumpf NE, Evans LK, Baumgarten M, Maislin G. Predictors of continued physical restraint use in nursing home residents following restraint reduction efforts. *J Am Geriatr Soc* 1999 47:(3)342-348. [Rec#: 1518]
- Sullivan RP, Badros KK. Recognize risk factors to prevent patient falls. *Nurs Manage* 1999 30:(5)37-40. [Rec#: 1394]
- Sumner ED, Simpson WM. Intervention in falls among the elderly. *J Pract Nurs* 1992 42:(2)24-34. [Rec#: 691]
- Sung PS, Bottomley JM, Echternach JL. Post-hip fracture rehabilitation in subacute care. *J Rehabil Outcomes Meas* 1999 3:(2)1-48. [Rec#: 1403]
- Suzuki M, Shimamoto Y, Kawamura I, Takahasi H. Does gender make a difference in the risk of falls? A Japanese study. *J Gerontol Nurs* 1997 23:(1)41-8. [Rec#: 1641]
- Svanstrom L. Falls on stairs: An epidemiological accident study. *Scand J Soc Med* 1974 2:113. [Rec#: 2816]
- Svanstrom L, Ader M, Schelp L, Lindstrom A. Preventing femoral fractures among elderly: The community safety approach. *Safety Science* 1996 21:(3)239-46. [Rec#: 600]
- Svensson ML, Rundgren A, Landahl S. Falls in 84-85 year-old people living at home. *Accid Anal Prev* 1992 24:527-537. [Rec#: 2053]
- Sweeting HL. Patient fall prevention--a structured approach. *J Nurs Manag* 1994 2:(4)187-92. [Rec#: 460]
- Teno J, Kiel DP, Mor V. Multiple stumbles: A risk factor for falls in community-dwelling elderly. *J Am Geriatr Soc* 1990 38:1321-1325. [Rec#: 2056]
- Teri L, McCurry SM, Buchner DM, Logsdon RG, LaCroix AZ, Kukull WA, et al. Exercise and activity level in Alzheimer's disease: a potential treatment focus. *J Rehabil Res Dev* 1998 35:(4)411-9. [Rec#: 1369]
- Thapa PB, Gideon P, Cost TW, Milam AB, Ray WA. Antidepressants and the risk of falls among nursing home residents. *N Engl J Med* 1998 339:(13)875-82. [Rec#: 1472]
- Thapa PB, Gideon P, Fought RI, Ray WA. Psychotropic drugs and risk of recurrent falls in ambulatory nursing home residents. *Am J Epidemiol* 1995 142:202-211. [Rec#: 2772]

## Rejected Articles

- Thompson PG. Preventing falls in the elderly at home: A community-based program. *Med J Aust* 1996 164:(9)530-2. [Rec#: 463]
- Thorbahn LD. Value and limitations of the Berg Balance Test to predict risk of falls in nursing home residents. *Ann Long Term Care* 1998 6:(2)49-53. [Rec#: 1437]
- Tibbitts GM. Patients who fall: how to predict and prevent injuries. *Geriatrics* 1996 51:(9 )24-8, 31. [Rec#: 692]
- Tideiksaar R. The biomedical and environmental characteristics of slips, stumbles, and falls in the elderly. In: Everett GB. (Ed.) *Slips, stumbles, and falls: Pedestrian footwear and surfaces*. Philadelphia: American Society for Testing Materials; 1990. p. 17-27. [Rec#: 601]
- Tideiksaar R. Falls among the elderly: A community prevention program. *Am J Public Health* 1992 82:(6)892-3. [Rec#: 465]
- Tideiksaar R. Preventing falls: Home hazard checklists to help older patients protect themselves. *Geriatrics* 1986 41:26-28. [Rec#: 2057]
- Tideiksaar R. Preventing falls: how to identify risk factors, reduce complications. *Geriatrics* 1996 51:(2)43-6, 49-50, 53, quiz 54-5. [Rec#: 2511]
- Tideiksaar R. Putting the problem in perspective. *Focus Geriatr Care Rehabil* 1998 12:(1)2-3. [Rec#: 1502]
- Tideiksaar R, et al. Environmental adaptations to preserve balance and prevent falls. *Top Geriatr Rehabil* 1990 5:(2)78-84. [Rec#: 2541]
- Tideiksaar R, Kay AD. What causes falls? A logical diagnostic procedure. *Geriatrics* 1986 41:32-50. [Rec#: 2058]
- Tinetti ME. Factors associated with serious injury during falls by ambulatory nursing home residents. *J Am Geriatr Soc* 1987 35 :644-648. [Rec#: 2059]
- Tinetti ME. Performance-oriented assessment of mobility problems in elderly patients. *J Am Geriatr Soc* 1986 34:119-126. [Rec#: 2723]
- Tinetti ME. Prevention of falls and fall injuries in elderly persons: A research agenda. *Prev Med* 1994 23:(5)756-62. [Rec#: 500]
- Tinetti ME, Baker DI, Garrett PA, Gottschalk M, Koch ML, Horwitz RI. Yale FICSIT: Risk factor abatement strategy for fall prevention. *J Am Geriatr Soc* 1993 41:(3)315-20. [Rec#: 496]
- Tinetti ME, Claus E, Liu WL. Risk factors for fall-related injuries among community elderly: Methodological issues. In: Vellas B. (ed) *Falls, Balance and Gait Disorders in the Elderly*. Paris, France: Elsevier; 1992. p. 6-19. [Rec#: 2832]
- Tinetti ME, Doucette J, Claus E, Marottoli R . Risk factors for serious injury during falls by older persons in the community. *J Am Geriatr Soc* 1995 43:(11)1214-21. [Rec#: 2573]
- Tinetti ME, Franklin W, Mayewski R. Fall risk index for elderly patients based on number of chronic disabilities. *Am J Med* 1986 80 :429-434. [Rec#: 2060]
- Tinetti ME, Inouye SK, Gill TM, Doucette JT. Shared risk factors for falls, incontinence, and functional dependence. Unifying the approach to geriatric syndromes [see comments]. *JAMA* 1995 273:(17)1348-53. [Rec#: 2574]
- Tinetti ME, Liu WL, Ginter SF. Mechanical restraint use and fall-related injuries among residents of skilled nursing facilities. *Ann Intern Med* 1992 116:(5)369-74. [Rec#: 466]
- Tinetti ME, LiuWL, Claus EB. Predictors and prognosis of inability to get up after falls among elderly persons. *JAMA* 1993 269:65-70. [Rec#: 2061]

## Rejected Articles

- Tinetti ME, Mendes de Leon CF, Doucette JT, et al. Fear of falling and fall-related efficacy in relationship to functioning among community-living elders. *J Gerontol* 1994 49:M140-M147. [Rec#: 2062]
- Tinetti ME, Mendes de Leon CF, Douchette JT, Baker DJ. Fear of falling and fall-related efficacy in relation to functioning among community-living elders. *J Gerontol* 1994 M140-M147. [Rec#: 2746]
- Tinetti ME, Speechley M. Prevention of falls among the elderly. *N Engl J Med* 1989 320:1055-1059. [Rec#: 2063]
- Tinetti ME, Speechley M, Ginter SP. Risk factors for falls among elderly persons living in the community. *N Eng J Med* 1988 319:1701-1707. [Rec#: 2064]
- Tinetti ME, Williams CS. The effect of falls and fall injuries on functioning in community-dwelling older persons. *J Gerontol* 1998 53:M112-M119. [Rec#: 1417]
- Tinetti ME, Williams TF, Mayewski R. Falls risk index for elderly patients based on number of chronic disabilities. *Am J Med* 1986 80 :429-434. [Rec#: 2758]
- Tinetti ME, WilliamsTF, Majewski R. Fall risk index for elderly patients based on number of chronic disabilities. *Am J Med* 1986 80 :429-434. [Rec#: 2065]
- Tobis J, Reinsch S, McRae P, et al. Experimental intervention at senior centres for the prevention of falls. *J Am Geriatr Soc* 1990 38:(8)A28. [Rec#: 582]
- Tobis JS, Reinsch S, Swanson JM, Byrd M, Scharg T. Visual perception dominance of fallers among community-dwelling older adults. *J Am Geriatr Soc* 1985 33:330-333. [Rec#: 2067]
- Topper AK, Maki BE, Holliday PJ. Are activity-based assessments of balance and gait in the elderly predictive of risk of falling and/or type of fall? *J Am Geriatr Soc* 1993 41:(5)479-87. [Rec#: 2515]
- Trewin VF, Lawrence CJ, Veitch GBA. An investigation of the association of benzodiazepines and other hypnotics with the incidence of falls in the elderly. *J Clin Pharm Ther* 1992 17:129-133. [Rec#: 2752]
- Turano K, Rubin GS, Herdman SJ, Chee E, Fried LP. Visual stabilization of posture in the elderly: fallers vs. nonfallers. *Optom Vis Sci* 1994 71:(12)761-9. [Rec#: 694]
- Tynan C, Cardea JM. Home health hazard assessment. *J Gerontol Nurs* 1987 13:(10)25-8. [Rec#: 468]
- Udani JK, Ofman JJ. Tai Chi for the prevention of falls in the elderly. *Integr Med* 1998 1:(4)167-169. [Rec#: 1565]
- Uden G, Ehnfors M, Sjostrom K. Use of initial risk assessment and recording as the main nursing intervention in identifying risk of falls. *J Adv Nurs* 1999 29:(1)145-52. [Rec#: 1604]
- Ullom Minnich P. Prevention of osteoporosis and fractures. *Am Fam Phys* 1999 60:(1)194-202. [Rec#: 1576]
- Urton MM. A community home inspection approach to preventing falls among the elderly. *Public Health Rep* 1991 106:( 2)192-5. [Rec#: 469]
- van Beurden E, Kempton A, Sladden T, Garner E. Designing an evaluation for a multiple-strategy community intervention: the North Coast Stay on Your Feet program. *Australian and New Zealand Journal of Public Health* 1998 22:(1)115-119. [Rec#: 3620]
- Van Hoof R, Macor F, Lijnen P, Staessen J, Thijs L, Vanhees L, et al. Effect of strength training on blood pressure measured in various conditions in sedentary men. *Int J Sports Med* 1996 17:(6)415-22. [Rec#: 3541]
- van Weel C, Vermeulen H, van den Bosch W. Falls, a community care perspective. *Lancet* 1995 345:(8964)1549-51. [Rec#: 470]

## Rejected Articles

- Vandenbeld AW, Huhtaniemi IT, Pettersson KSL, Pols HAP, Grobbee DE, Dejong FH, et al. Luteinizing hormone and different genetic variants, as indicators of frailty in healthy elderly men. *J Clin Endocrinol Metabol* 1999 84:(4)1334-1339. [Rec#: 1645]
- Vandervoort AA. Ankle mobility and postural stability. *Physiother Theory Pract* 1999 15:(2)91-103. [Rec#: 1578]
- VanSwearingen JM, Paschal KA, Bonino P, Chen T. Assessing recurrent fall risk of community-dwelling, frail older veterans using specific tests of mobility and the Physical Performance Test of function. *J Gerontol A Biol Sci Med Sci* 1998 53A:(6)M457-64. [Rec#: 1412]
- VanSwearingen JM, Paschal KA, Bonino P, Yang JF. The modified Gait Abnormality Rating Scale for recognizing the risk of recurrent falls in community-dwelling elderly adults. *Phys Ther* 1996 76:(9)994-1002. [Rec#: 695]
- Vellas BJ, Wayne SJ, Garry PJ, Baumgartner RN. A two-year longitudinal study of falls in 482 community-dwelling elderly adults. *J Gerontol* 1998 53A:M264-M274. [Rec#: 1416]
- Venna N. Dizziness, falling and fainting: Differential diagnosis in the aged (part I). *Geriatrics* 1986 41:30-42. [Rec#: 2068]
- Venna N. Dizziness, falling and fainting: Differential diagnosis in the aged (part II). *Geriatrics* 1986 41:31-45. [Rec#: 2069]
- Villar MTA, Hill P, Inskip H, Thompson P, Cooper C. Will elderly rest home residents wear hip protectors? *Age Ageing* 1998 27 :(2)195-198. [Rec#: 1538]
- von Schroeder HP, Coutts RD, Lyden PD, Billings E, Nickel VL. Gait parameters following stroke: a practical assessment. *J Rehabil Res Dev* 1995 32:(1)25-31. [Rec#: 696]
- Vonrentelnkruse W, Micol W, Oster P, Schlierf G. Medication, dizziness, and falls in hospital in-patients 75 years and older. *Z Gerontol Geriatr* 1998 31:(4)286-289. [Rec#: 1531]
- Wagner SG, Pfeifer A, Cranfield TL, Craik RL . The effects of ageing on muscle strength and function: a review of the literature. *Physiother Theory Pract* 1994 10:(1)9-16. [Rec#: 1450]
- Walker A. Preventing falls at home. *Nursing* 1999 29 :(4)Home Health: 64hh1-2, 64hh4. [Rec#: 1409]
- Walker BL. Preventing falls. *RN* 1998 61:(5)40-3. [Rec#: 1342]
- Walker BL. Preventing falls... Office Nurse often adapts articles and news summaries that have appeared in RN and other sister journals. *Office Nurse* 1998 11:(12)24-6, 28-9. [Rec#: 1302]
- Walker JE, Howland J. Falls and fear of falling among elderly persons living in the community: Occupational therapy interventions. *Am J Occup Ther* 1991 45:(2)119-22. [Rec#: 471]
- Wallace RB, Ross JE, Huston JC, Kundel C, Woodworth G. Iowa FICSIT trial: The feasibility of elderly wearing a hip joint protective garment to reduce hip fractures. *J Am Geriatr Soc* 1993 41:(3)338-40. [Rec#: 472]
- Waller J. Falls among the elderly - Human and environmental factors. *Accid Anal Prev* 1978 10:(1 )21-33. [Rec#: 2830]
- Wallis J. Multiple intervention strategy to avoid falls. *Prof Nurse* 1994 10:98-9. [Rec#: 603]
- Webb Jan. Risk Factors for Falls in Elderly Hospitalized Patients. In: Fall Prevention /Physical Activity. 1998. [Rec#: 990]
- Weber J, Kehoe T, Bakoss M, Kiley M, Dzigel JM. Safety at home: a practical home-injury control program for independent seniors. *Caring* 1996 15:(6)62-6. [Rec#: 697]

## Rejected Articles

- Weiland SK, Ruckmann A, Keil U, Lewis M, Dennler HJ, Welzel D. Thiazide diuretics and the risk of hip fracture among 70-79 year old women treated for hypertension. European Journal of Public Health 1997 7:(3)335-340. [Rec#: 1647]
- Weinstein BE, Devons CA. The dizzy patient: stepwise workup of a common complaint. Geriatrics 1995 50:(6)42-6, 49. [Rec#: 698]
- Wells BG, Middleton B, Lawrence G, et al. Factors associated with the elderly falling in intermediate care facilities. Drug Intell Clin Pharm 1985 142-145. [Rec#: 2777]
- Whipple H, Wolfson LI, Amerman PM. The relationship of knee and ankle weakness to falls in nursing home residents: An isokinetic study. J Am Geriatr Soc 1987 35:13-20. [Rec#: 2070]
- White D. Old age is not a reason to fall. Nurs Stand 1991 6:(8)20-1. [Rec#: 474]
- White FE. 1998 Optima Award: Preventing falls, promoting fitness. Nurs Homes 1998 47:(9)20-5. [Rec#: 1441]
- Whitfield JF, Morley P, Willick GE. The bone-building action of the parathyroid hormone. Implications for the treatment of osteoporosis. Drugs Aging 1999 15:(2)117-129. [Rec#: 1573]
- Whitney SL, Poole JL, Cass SP. A review of balance instruments for older adults. Am J Occup Ther 1998 52:(8)666-71. [Rec#: 1477]
- Whooley MA, Kip KE, Cauley JA, Ensrud KE, Nevitt MC, Browner WS. Depression, falls, and risk of fracture in older women. Study of Osteoporotic Fractures Research Group. Arch Intern Med 1999 159:(5)484-90. [Rec#: 1674]
- Wickham C, Cooper C, Margetts BM, Barker DJP . Muscle strength, activity, housing and the risk of falls in the elderly people. Age Ageing 1989 10:47-51. [Rec#: 2753]
- Wickman C, Cooper C, Margetts BM, Barker DJP . Muscle strength, activity, housing and the risk of falls in elderly people. Age Ageing 1989 18:47-51. [Rec#: 2071]
- Wild D, Nayak USL, Isaacs B. How dangerous are falls in old people at home? BMJ 1981 282:266-268. [Rec#: 2072]
- Wild D, Nayak USL, Isaacs B. Prognosis of falls in old people at home. J Epidemiol Community Health 1981 35:200-204. [Rec#: 2073]
- Williams MW, Nolan M. Prevention of falls among older people at home. Br J Nurs 1993 2:(12)609-13. [Rec#: 475]
- Williams P, Lord SR. Predictors of adherence to a structured exercise program for older women. Psychol Aging 1995 10:617-624. [Rec#: 2747]
- Wilson EB. Preventing patient falls. AACN Clin Issues 1998 9:(1)100-8. [Rec#: 699]
- Winslow EH. Research for practice. Reducing falls in older patients. Am J Nurs 1998 98:(10 )22. [Rec#: 1471]
- Wofford JL, Heuser MD, Moran WP, Schwartz E, Mittelmark MB. Community surveillance of falls among the elderly using computerized EMS transport data. Am J Emerg Med 1994 12:(4)433-7. [Rec#: 700]
- Wolf Klein GP, Silverstone FA, Basavaraju N, Foley CJ, Pasarao A, Ma PH. Prevention of falls in the elderly population. Arch Phys Med Rehabil 1988 69:(9)689-91. [Rec#: 476]
- Wolf SL, Kutner NG, Green RC, McNeely E. The Atlanta FICSIT study: two exercise interventions to reduce frailty in elders. J Am Geriatr Soc 1993 41:(3)329-32. [Rec#: 504]
- Wolfson L, Whipple R, Judge J, Amerman P, Derby C, King M. Training balance and strength in the elderly to improve function. J Am Geriatr Soc 1993 41:(3)341-3. [Rec#: 479]

## **Rejected Articles**

Wolinsky FD, Johnson RJ, Fitzgerald JF. Falling, health status, and the use of health services by older adults. A prospective study. *Med Care* 1992 30:(7)587-97. [Rec#: 1687]

Wolter LL, Studenski SA. A clinical synthesis of falls intervention trials. *Top Geriatr Rehabil* 1996 11:(3)9-19. [Rec#: 580]

Woo J, Ho SC, Lau J, Chan SG, Yuen YK. Age-associated gait changes in the elderly: pathological or physiological? *Neuroepidemiology* 1995 14:(2)65-71. [Rec#: 702]